

EUROKON

Eurokon Global Exports Pvt. Ltd.

**HO: 5, Industrial Area N.I.T.
Faridabad-121001, Haryana (INDIA)
Tel.: +91 129 4628359**

**Works: 93, Sector 68 IMT
Faridabad 121004, Haryana INDIA.
Tel.: +91 129 2983700**

**Email: contact@eurokonglobal.com
www.eurokonglobal.com**

CONTENTS

Connectors	5-20
Fittings	
Gate Fittings	22-30
Window Fittings	31-34
Fence Fittings	35-37
Box Fittings	38-41
Post Supports	43-54
Wood Connectors	55-67
Hinges	69-73
Additional Products	75-81

LEGEND



Self-service packed items

Self-service packed items for shelf presentation on hooks.



Cable Tie Bundle



Products made of rustproof stainless steel

These especially high-grade products have long-lasting corrosion-resistance.



European technical approval



Bulk pack

Individual products were combined as a unit for bulk and professional needs. Depending on item, packaged in capsules, in labeled cardboard boxes or shrink-fitted in foil.



About Eurokon

Build Your World of Dreams

Eurokon Global Exports Pvt. Limited, an ISO 9001:2015 certified company is one of the leading manufacturers of all types of hinges, brackets, pole anchors for decades and supplying to European countries.

To meet our customers' requirements, we have continually extended our portfolio of products and services. As a result, we can also supply custom-made items from drawings, as well as stampings and press-bent parts to customers' specifications. With the acquisition of several additional automatic stamping machines, we now have the facilities to ensure flexible, low-cost production.

We also assemble complex components made up of stampings and press-bent parts, including surface coating of the articles in our in-house zinc plating and hot dipping plant, on request. In cooperation with our reliable partners, we can also provide other types of surface finishes. In addition to toolmaking and series production of parts from drawings, we can reliably deliver a wide range of contract work. Our service portfolio includes milling, grinding, die-cutting, as well as contract manufacture of cutting dies and follow-on composite tools to your specifications.

At Eurokon, you will also receive competent advice and product development support. We will also customise samples and part prototypes in accordance with your drawings. We can manufacture cutting dies and follow-on composite tools in our own toolmaking department.

Quick turnaround time, affordability and adherence to the strictest quality standards are our hallmarks.

CONNECTORS

Connecting Plates



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
40 mm	15 mm				1,75 mm	1		2064000	
50 mm	15 mm				1,75 mm	1	PC	2064001	
60 mm	15 mm				1,75 mm	1	PC	2064002	
80 mm	15 mm				1,75 mm	1	PC	2064003	
100 mm	15 mm				1,75 mm	1	PC	2064004	
120 mm	16 mm				1,75 mm	1	PC	2064005	
135 mm	20 mm				2,00 mm	1	PC	2064006	
155 mm	20 mm				2,00 mm	1	PC	2064007	
40 mm	15 mm				1,75 mm	12		2064008	
50 mm	15 mm				1,75 mm	12		2064009	
60 mm	15 mm				1,75 mm	12		2064010	
80 mm	15 mm				1,75 mm	12		2064011	
50 mm	15 mm				1,75 mm	4		2064012	
60 mm	15 mm				1,75 mm	4		2064013	
80 mm	15 mm				1,75 mm	4		2064014	
100 mm	15 mm				1,75 mm	4		2064015	
120 mm	16 mm				1,75 mm	4		2064016	





















Surface: Zinc Flake Coated									
80 mm	15 mm				1,75 mm	1	PC	6064003	
100 mm	15 mm				1,75 mm	1	PC	6064004	
120 mm	16 mm				1,75 mm	1	PC	6064005	

Surface: Stainless Steel :1.4301									
100 mm	15 mm		2,00 mm		2,00 mm	1	PC	2064017	
100 mm	15 mm		2,00 mm		2,00 mm	4		2064018	

Chair Bracket

A	B	C			Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
25 mm	25 mm	14 mm			1,75 mm	1	PC	2064019	
30 mm	30 mm	14 mm			1,75 mm	1	PC	2064020	
40 mm	40 mm	15 mm			1,75 mm	1	PC	2064021	
50 mm	50 mm	15 mm			1,75 mm	1	PC	2064022	
60 mm	60 mm	16 mm			1,75 mm	1	PC	2064023	
75 mm	75 mm	16 mm			1,75 mm	1	PC	2064024	
90 mm	90 mm	18 mm			1,75 mm	1	PC	2064025	
100 mm	100 mm	20 mm			1,75 mm	1	PC	2064026	
125 mm	125 mm	22 mm			2,50 mm	1	PC	2064027	
150 mm	150 mm	25 mm			3,00 mm	1	PC	2064028	
25 mm	25 mm	14 mm			1,75 mm	4		2064029	
30 mm	30 mm	14 mm			1,75 mm	4		2064030	
40 mm	40 mm	15 mm			1,75 mm	4		2064031	
50 mm	50 mm	15 mm			1,75 mm	4		2064032	

Chair Bracket

A	B	C			Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
60 mm	60 mm	16 mm			1,75 mm		4		2064033	
75 mm	75 mm	16 mm			1,75 mm		4		2064034	
25 mm	25 mm	14 mm			1,75 mm		8		2064035	
30 mm	30 mm	14 mm			1,75 mm		8		2064036	
40 mm	40 mm	15 mm			1,75 mm		8		2064037	
50 mm	50 mm	15 mm			1,75 mm		8		2064038	
60 mm	60 mm	16 mm			1,75 mm		8		2064039	
75 mm	75 mm	16 mm			1,75 mm		8		2064040	
25 mm	25 mm	14 mm			1,75 mm		12		2064041	
30 mm	30 mm	14 mm			1,75 mm		12		2064042	
40 mm	40 mm	15 mm			1,75 mm		12		2064043	
50 mm	50 mm	15 mm			1,75 mm		12		2064044	
60 mm	60 mm	16 mm			1,75 mm		12		2064045	
75 mm	75 mm	15 mm			1,75 mm		12		2064046	
90 mm	90 mm	18 mm			1,75 mm		12		2064047	
25 mm	25 mm	14 mm			1,75 mm		50		2064048	
30 mm	30 mm	14 mm			1,75 mm		50		2064049	
40 mm	40 mm	15 mm			1,75 mm		50		2064050	
50 mm	50 mm	15 mm			1,75 mm		50		2064051	
60 mm	60 mm	16 mm			1,75 mm		50		2064052	

Surface: White Powder Coated										
25 mm	25 mm	14 mm			1,75 mm		1	PC	2064053	
40 mm	40 mm	15 mm			1,75 mm		1	PC	2064054	
60 mm	60 mm	16 mm			1,75 mm		1	PC	2064055	

Surface: Brown Powder Coated										
25 mm	25 mm	14 mm			1,75 mm		1	PC	2064056	
40 mm	40 mm	15 mm			1,75 mm		1	PC	2064057	
60 mm	60 mm	16 mm			1,75 mm		1	PC	2064058	

Surface: Black Powder Coated										
25 mm	25 mm	14 mm			1,75 mm		1	PC	2064059	
40 mm	40 mm	15 mm			1,75 mm		1	PC	2064060	
60 mm	60 mm	16 mm			1,75 mm		1	PC	2064061	

Surface: Zinc Flake Coated										
40 mm	40 mm	15 mm			1,75 mm		1	PC	6064021	
50 mm	50 mm	15 mm			1,75 mm		1	PC	6064022	
60 mm	60 mm	16 mm			1,75 mm		1	PC	6064023	
75 mm	75 mm	16 mm			1,75 mm		1	PC	6064024	
100 mm	100 mm	20 mm			1,75 mm		1	PC	6064026	

Surface: Stainless Steel :1.4301 										
25 mm	25 mm	14 mm			2,00 mm		1	PC	2064062	
40 mm	40 mm	15 mm			2,00 mm		1	PC	2064063	
50 mm	50 mm	15 mm			2,00 mm		1	PC	2064064	
60 mm	60 mm	16 mm			2,00 mm		1	PC	2064065	
75 mm	75 mm	16 mm			2,00 mm		1	PC	2064066	
100 mm	100 mm	20 mm			2,00 mm		1	PC	2064067	



Rounded Flat connector



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
37 mm	16 mm				1,50 mm	1	PC	2064068	
57 mm	16 mm				1,50 mm	1	PC	2064069	
77 mm	19 mm				2,00 mm	1	PC	2064070	
97 mm	19 mm				2,00 mm	1	PC	2064071	
117 mm	19 mm				2,00 mm	1	PC	2064072	
157 mm	19 mm				2,00 mm	1	PC	2064073	

Angle Bracket with Radius corner



A	B	C	s	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized								
20 mm	20 mm	16 mm	1,50 mm	1,50 mm	1	PC	2064074	
30 mm	30 mm	16 mm	1,50 mm	1,50 mm	1	PC	2064075	
40 mm	40 mm	19 mm	2,00 mm	2,00 mm	1	PC	2064076	
50 mm	50 mm	19 mm	2,00 mm	2,00 mm	1	PC	2064077	
60 mm	60 mm	19 mm	2,00 mm	2,00 mm	1	PC	2064078	
80 mm	80 mm	19 mm	2,00 mm	2,00 mm	1	PC	2064079	
100 mm	100 mm	19 mm	2,00 mm	2,00 mm	1	PC	2064080	
20 mm	20 mm	16 mm	1,75 mm	1,75 mm	4		2064081	
30 mm	30 mm	16 mm	1,75 mm	1,75 mm	4		2064082	
40 mm	40 mm	19 mm	2,00 mm	2,00 mm	4		2064083	
50 mm	50 mm	19 mm	2,00 mm	2,00 mm	4		2064084	
60 mm	60 mm	19 mm	2,00 mm	2,00 mm	4		2064085	
80 mm	80 mm	19 mm	2,00 mm	2,00 mm	4		2064086	
100 mm	100 mm	19 mm	2,00 mm	2,00 mm	4		2064087	


Angle Bracket



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
40 mm	40 mm	20 mm			2,50 mm	1	PC	2064088	
60 mm	60 mm	20 mm			2,50 mm	1	PC	2064089	
120 mm	120 mm	20 mm			3,00 mm	1	PC	2064090	
140 mm	140 mm	20 mm			3,00 mm	1	PC	2064091	
160 mm	160 mm	20 mm			3,00 mm	1	PC	2064092	


Flat Brackets

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
30 mm	30 mm	10 mm	1,50 mm		1,50 mm	1	PC	2064093	
40 mm	40 mm	10 mm	1,50 mm		1,50 mm	1	PC	2064094	
50 mm	50 mm	10 mm	1,50 mm		1,50 mm	1	PC	2064095	
60 mm	60 mm	10 mm	1,50 mm		1,50 mm	1	PC	2064096	
30 mm	30 mm	10 mm	1,50 mm		1,50 mm	12		2064097	
40 mm	40 mm	10 mm	1,50 mm		1,50 mm	12	☒	2064098	
50 mm	50 mm	10 mm	1,50 mm		1,50 mm	12	☒	2064099	
60 mm	60 mm	10 mm	1,50 mm		1,50 mm	12	☒	2064100	



Flat Brackets Heavy

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
75 mm	75 mm	14 mm			1,25 mm	1	PC	2064101	
100 mm	100 mm	15 mm			1,50 mm	1	PC	2064102	
200 mm	200 mm	30 mm			3,00 mm	1	PC	2064103	
250 mm	250 mm	30 mm			3,00 mm	1	PC	2064104	
300 mm	300 mm	40 mm			4,00 mm	1	PC	2064105	
75 mm	75 mm	14 mm			1,25 mm	4	☒	2064106	
100 mm	100 mm	15 mm			1,50 mm	4	☒	2064107	
75 mm	75 mm	14 mm			1,25 mm	12	☒	2064108	




Surface: White Powder Coated									
70 mm	70 mm	15 mm			1,50 mm	1	PC	2064109	
100 mm	100 mm	15 mm			1,50 mm	1	PC	2064110	
120 mm	120 mm	20 mm			2,00 mm	1	PC	2064111	


Surface: Brown Powder Coated									
70 mm	70 mm	15 mm			1,50 mm	1	PC	2064111	
100 mm	100 mm	15 mm			1,50 mm	1	PC	2064112	

Surface: Black Powder Coated									
70 mm	70 mm	15 mm			1,50 mm	1	PC	2064113	
100 mm	100 mm	15 mm			1,50 mm	1	PC	2064114	

Surface: Zinc Flake Coated									
75 mm	75 mm	14 mm			1,25 mm	1	PC	6064101	
100 mm	100 mm	15 mm			1,50 mm	1	PC	6064102	
120 mm	120 mm	20 mm			2,00 mm	1	PC	6064111	
200 mm	200 mm	30 mm			3,00 mm	1	PC	6064103	

Surface: Stainless Steel :1.4301 									
100 mm	100 mm	15 mm			1,50 mm	1	PC	2064115	
120 mm	120 mm	20 mm			1,50 mm	1	PC	2064116	

Rounded Corner plate



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
40 mm	40 mm	12 mm			1,00 mm	1	PC	2064117	
60 mm	60 mm	16 mm			1,50 mm	1	PC	2064118	
80 mm	80 mm	16 mm			1,50 mm	1	PC	2064119	
100 mm	100 mm	18 mm			2,00 mm	1	PC	2064120	
120 mm	120 mm	20 mm			2,00 mm	1	PC	2064121	
140 mm	140 mm	20 mm			2,00 mm	1	PC	2064122	
160 mm	160 mm	20 mm			2,00 mm	1	PC	2064123	

Flat connector



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
170 mm	30 mm				3,00 mm	1	PC	2064124	
195 mm	35 mm				4,00 mm	1	PC	2064125	

Heavy Angle Connector



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
40 mm	80 mm	30 mm			2,00 mm	1	PC	2064126	
70 mm	100 mm	30 mm			3,00 mm	1	PC	2064127	
80 mm	120 mm	35 mm			4,00 mm	1	PC	2064128	
120 mm	180 mm	40 mm			5,00 mm	1	PC	2064129	
160 mm	240 mm	50 mm			5,00 mm	1	PC	2064130	

Surface: White Powder Coated									
40 mm	80 mm	30 mm			2,00 mm	1	PC	2064131	
70 mm	100 mm	30 mm			3,00 mm	1	PC	2064132	
80 mm	120 mm	35 mm			4,00 mm	1	PC	2064133	
120 mm	180 mm	40 mm			5,00 mm	1	PC	2064134	
160 mm	240 mm	50 mm			5,00 mm	1	PC	2064135	

Surface: Brown Powder Coated									
40 mm	80 mm	30 mm			2,00 mm	1	PC	2064136	
70 mm	100 mm	30 mm			3,00 mm	1	PC	2064137	
80 mm	120 mm	35 mm			4,00 mm	1	PC	2064138	
120 mm	180 mm	40 mm			5,00 mm	1	PC	2064139	
160 mm	240 mm	50 mm			5,00 mm	1	PC	2064140	

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Black Powder Coated									
40 mm	80 mm	30 mm			2,00 mm	1	PC	2064141	
70 mm	100 mm	30 mm			3,00 mm	1	PC	2064142	
80 mm	120 mm	35 mm			4,00 mm	1	PC	2064143	
120 mm	180 mm	40 mm			5,00 mm	1	PC	2064144	
160 mm	240 mm	50 mm			5,00 mm	1	PC	2064145	



Heavy Angle Connector

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
50 mm	100 mm	40 mm	5,00 mm		5,00 mm	1	PC	2064146	
75 mm	150 mm	40 mm	5,00 mm		5,00 mm	1	PC	2064147	
100 mm	200 mm	40 mm	5,00 mm		5,00 mm	1	PC	2064148	
100 mm	100 mm	40 mm	5,00 mm		5,00 mm	1	PC	2064149	
150 mm	150 mm	40 mm	5,00 mm		5,00 mm	1	PC	2064150	
200 mm	200 mm	40 mm	5,00 mm		5,00 mm	1	PC	2064151	




Heavy Angle Connector

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
80 mm	80 mm	20 mm			5,00 mm	1	PC	2064152	
100 mm	100 mm	20 mm			5,00 mm	1	PC	2064153	
120 mm	120 mm	20 mm			5,00 mm	1	PC	2064154	
140 mm	140 mm	20 mm			5,00 mm	1	PC	2064155	
160 mm	160 mm	20 mm			5,00 mm	1	PC	2064156	
180 mm	180 mm	20 mm			5,00 mm	1	PC	2064157	
80 mm	150 mm	25 mm			5,00 mm	1	PC	2064158	
110 mm	150 mm	25 mm			5,00 mm	1	PC	2064159	
150 mm	150 mm	25 mm			5,00 mm	1	PC	2064160	
200 mm	200 mm	26 mm			5,00 mm	1	PC	2064161	
250 mm	250 mm	26 mm			6,00 mm	1	PC	2064162	



Surface: White Powder Coated									
100 mm	100 mm	20 mm			5,00 mm	1	PC	2064163	
120 mm	120 mm	20 mm			5,00 mm	1	PC	2064164	
160 mm	160 mm	20 mm			5,00 mm	1	PC	2064165	

Wide angle connector



A	B	C	D	E	Material Thickness			Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
30 mm	30 mm	30 mm			2,00 mm			1	PC	2064166
40 mm	40 mm	40 mm			2,00 mm			1	PC	2064167
50 mm	50 mm	50 mm			2,00 mm			1	PC	2064168
60 mm	60 mm	60 mm			2,00 mm			1	PC	2064169
30 mm	30 mm	30 mm			2,00 mm			12		2064170
40 mm	40 mm	40 mm			2,00 mm			12		2064171
60 mm	60 mm	60 mm			2,00 mm			12		2064172
30 mm	30 mm	30 mm			2,00 mm			25		2064173
Surface: White Powder Coated										
30 mm	30 mm	30 mm			2,00 mm			1	PC	2064174
40 mm	40 mm	40 mm			2,00 mm			1	PC	2064175
60 mm	60 mm	60 mm			2,00 mm			1	PC	2064176
Surface: Brown Powder Coated										
30 mm	30 mm	30 mm			2,00 mm			1	PC	2064177
40 mm	40 mm	40 mm			2,00 mm			1	PC	2064178
60 mm	60 mm	60 mm			2,00 mm			1	PC	2064179
Surface: Black Powder Coated										
30 mm	30 mm	30 mm			2,00 mm			1	PC	2064180
40 mm	40 mm	40 mm			2,00 mm			1	PC	2064181
60 mm	60 mm	60 mm			2,00 mm			1	PC	2064182
Surface: Zinc Flake Coated										
30 mm	30 mm	30 mm			2,00 mm			1	PC	6064166
40 mm	40 mm	40 mm			2,00 mm			1	PC	6064167
60 mm	60 mm	60 mm			2,00 mm			1	PC	6064169
Surface: Stainless Steel :1.4301										
30 mm	30 mm	30 mm			2,00 mm			1	PC	2064183
40 mm	40 mm	40 mm			2,00 mm			1	PC	2064184


Wide angle connector



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
40 mm	25 mm	75 mm			2,00 mm		1	PC	2064185	
60 mm	40 mm	115 mm			2,00 mm		1	PC	2064186	
Surface: White Powder Coated										
40 mm	25 mm	75 mm			2,00 mm		1	PC	2064187	
Surface: Brown Powder Coated										
40 mm	25 mm	75 mm			2,00 mm		1	PC	2064188	
Surface: Zinc Flake Coated										
40 mm	25 mm	75 mm			2,00 mm		1	PC	6064185	

Flat T connector

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
70 mm	50 mm	15 mm			1,50 mm	1	PC	2064189	
120 mm	73 mm	19 mm			1,50 mm	1	PC	2064190	
140 mm	110 mm	30 mm			2,00 mm	1	PC	2064191	




Rounded Flat T connector

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
80 mm	55 mm	15 mm			1,50 mm	1	PC	2064192	
80 mm	40 mm	15 mm			1,50 mm	1	PC	2064193	
80 mm	40 mm	15 mm			1,50 mm	1	PC	2064194	




Perforated plate

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
75 mm	50 mm				1,25 mm	1	PC	2064195	
105 mm	50 mm				1,25 mm	1	PC	2064196	
105 mm	150 mm				1,25 mm	1	PC	2064197	
150 mm	75 mm				1,25 mm	1	PC	2064198	
200 mm	25 mm				1,25 mm	1	PC	2064199	
200 mm	75 mm				1,25 mm	1	PC	2064200	
250 mm	75 mm				1,25 mm	1	PC	2064201	



Hessen claw

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
140 mm	20 mm				1,25 mm	1	PC	2064207	



Curtain angle



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
55 mm	95 mm	13 mm			3,50 mm	1	PC	2064203	
55 mm	120 mm	17 mm			3,50 mm	1	PC	2064204	
55 mm	180 mm	17 mm			3,50 mm	1	PC	2064205	
Surface: White Powder Coated									
55 mm	95 mm	13 mm			3,50 mm	1	PC	2064206	
55 mm	180 mm	17 mm			3,50 mm	1	PC	2064207	
Surface: Zinc Flake Coated									
55 mm	95 mm	13 mm			3,50 mm	1	PC	6064203	
55 mm	180 mm	17 mm			3,50 mm	1	PC	6064204	


Adjustable connector



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
65 mm	80 mm	20 mm			4,00 mm	1	PC	2064208	
Surface: White Powder Coated									
65 mm	80 mm	20 mm			4,00 mm	1	PC	2064209	
Surface: Brown Powder Coated									
65 mm	80 mm	20 mm			4,00 mm	1	PC	2064210	
Surface: Black Powder Coated									
65 mm	80 mm	20 mm			4,00 mm	1	PC	2064211	
Surface: Zinc Flake Coated									
65 mm	80 mm	20 mm			4,00 mm	1	PC	6064208	

Adjustable connector





A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
35 mm	75 mm	65 mm			4,00 mm	1	PC	2064212	
Surface: Stainless Steel :1.4301 									
35 mm	75 mm	65 mm			2,00 mm	1	PC	2064213	

Adjustable connector

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
39 mm	28 mm	22 mm			1,25 mm	1	PC	2064214	
Surface: White Powder Coated									
39 mm	28 mm	22 mm			1,25 mm	1	PC	2064215	
Surface: Brown Powder Coated									
39 mm	28 mm	22 mm			1,25 mm	1	PC	6024214	
Surface: Zinc Flake Coated									
39 mm	28 mm	22 mm			1,25 mm	1	PC	6024268	
Surface: Stainless Steel :1.4301									
39 mm	28 mm	22 mm			1,25 mm	1	PC	6024269	



Adjustable connector

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
25 mm	25 mm	30 mm			1,00 mm	1	PC	2064216	
25 mm	25 mm	30 mm			1,00 mm	12		2064217	
Surface: White Powder Coated									
25 mm	25 mm	30 mm			1,00 mm	1	PC	2064218	
Surface: Brown Powder Coated									
25 mm	25 mm	30 mm			1,00 mm	1	PC	2064270	
Surface: Zinc Flake Coated									
25 mm	25 mm	30 mm			1,00 mm	1	PC	6064216	
Surface: Stainless Steel :1.4301 									
25 mm	25 mm	30 mm			1,00 mm	1	PC	2064271	



Wide angle connector




A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
25 mm	40 mm	70 mm			1,50 mm		1	PC	2064219	
Surface: White Powder Coated										
25 mm	40 mm	70 mm			1,50 mm		1	PC	2064220	

Supporting corner brace





A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
80 mm	120 mm	40 mm	1,50 mm		1,50 mm		1	PC	2064221	
100 mm	160 mm	40 mm	1,50 mm		1,50 mm		1	PC	2064222	
Surface: White Powder Coated										
80 mm	120 mm	40 mm	1,50 mm		1,50 mm		1	PC	2064223	
100 mm	160 mm	40 mm	1,50 mm		1,50 mm		1	PC	2064224	
Surface: Brown Powder Coated										
80 mm	120 mm	40 mm	1,50 mm		1,50 mm		1	PC	2064225	
100 mm	160 mm	40 mm	1,50 mm		1,50 mm		1	PC	2064226	
Surface: Black Powder Coated										
80 mm	120 mm	40 mm	1,50 mm		1,50 mm		1	PC	2064227	
100 mm	160 mm	40 mm	1,50 mm		1,50 mm		1	PC	2064228	

Frame Eye



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
18 mm	22 mm				1,00 mm		1	PC	2064229	
24 mm	36 mm				1,00 mm		1	PC	2064230	
13 mm	60 mm				1,25 mm		1	PC	2064231	
20 mm	75 mm				1,50 mm		1	PC	2064232	
20 mm	95 mm				1,50 mm		1	PC	2064233	

Frame Round Eye

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
20 mm	50 mm				1,50 mm	1	PC	2064234	
22 mm	60 mm				1,50 mm	1	PC	2064235	
25 mm	75 mm				1,50 mm	1	PC	2064236	
25 mm	100 mm				1,50 mm	1	PC	2064237	
22 mm	60 mm				1,50 mm	4		2064238	
25 mm	75 mm				1,50 mm	4		2064239	
25 mm	100 mm				1,50 mm	4		2064240	



Kitchen frame eye

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
50 mm	15 mm				2,00 mm	1	PC	2064241	



Pipe Clamp

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
40 mm	26 mm	90 mm			3,00 mm	1	PC	2064242	
25 mm	36 mm	112 mm			3,00 mm	1	PC	2064243	
40 mm	42 mm	125 mm			3,00 mm	1	PC	2064244	
40 mm	48 mm	125 mm			3,00 mm	1	PC	2064245	
40 mm	60 mm	135 mm			3,00 mm	1	PC	2064246	
Surface: Zinc Flake Coated									
40 mm	42 mm	125 mm			3,00 mm	1	PC	6064244	
40 mm	48 mm	125 mm			3,00 mm	1	PC	6064245	
40 mm	60 mm	135 mm			3,00 mm	1	PC	6064246	



Pipe Clamp

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
38 mm						1	PC	2064247	
45 mm						1	PC	2064248	
52 mm						1	PC	2064249	



L Shaped Strap Tie



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
50 mm	70 mm	15 mm	1,50 mm			1	PC	2064250	
75 mm	105 mm	20 mm	2,00 mm			1	PC	2064251	
Surface: Zinc Flake Coated									
50 mm	70 mm	15 mm	1,50 mm			1	PC	6064250	
75 mm	105 mm	20 mm	2,00 mm			1	PC	6064251	

Universal Connector



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
40 mm	19 mm		1,50 mm			1	PC	2064252	

Universal Connector



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
36 mm	15 mm	17 mm	3,50 mm			1	PC	2064253	
87 mm	35 mm	18 mm	3,50 mm			1	PC	2064254	

Z Connector



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
60 mm	25 mm	55 mm	3,00 mm			1	PC	2064255	
40 mm	30 mm	55 mm	3,00 mm			1	PC	2064256	
45 mm	30 mm	55 mm	3,00 mm			1	PC	2064257	
50 mm	30 mm	55 mm	3,00 mm			1	PC	2064258	
55 mm	30 mm	55 mm	3,00 mm			1	PC	2064259	


Universal Connector Inside

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Right, Surface: Electro Galvanized										
50 mm	100 mm	40 mm	2,00 mm				1	PC	2064260	
Left, Surface: Electro Galvanized										
50 mm	100 mm	40 mm	2,00 mm				1	PC	2064261	



Universal Connector Outside

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Right, Surface: Electro Galvanized										
50 mm	100 mm	40 mm	2,00 mm				1	PC	2064262	
Left, Surface: Electro Galvanized										
50 mm	100 mm	40 mm	2,00 mm				1	PC	2064263	




Universal Connector

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Right, Surface: Electro Galvanized										
80 mm		40 mm	2,00 mm				1	PC	2064264	
Left, Surface: Electro Galvanized										
80 mm		40 mm	2,00 mm				1	PC	2064265	





A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Right, Surface: Electro Galvanized										
40 mm	40 mm	125 mm	1,00 mm				1	PC	2064266	
Left, Surface: Electro Galvanized										
40 mm	40 mm	125 mm	1,00 mm				1	PC	2064267	




FITTINGS


Garden gate latch




A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
80 mm	80 mm						1	PC	2082001	
Surface: Hot Dip Galvanized										
80 mm	80 mm						1	PC	2082002	
Surface: Zinc Flake Coated										
80 mm	80 mm						1	PC	2082003	
Surface: Stainless Steel :1.4301 										
80 mm	80 mm						1	PC	2082004	

Garden gate latch



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
100 mm	60 mm						1	PC	2082005	
Surface: Hot Dip Galvanized										
100 mm	60 mm						1	PC	2082006	
Surface: Stainless Steel :1.4301 										
100 mm	60 mm						1	PC	2082007	

Garden gate fastening latch



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
155 mm	60 mm	70 mm	60 mm					PC	2082008	

Double gate hasp



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
335 mm	52 mm	120 mm	275 mm					PC	2082009	
Surface: Zinc Flake Coated										
335 mm	52 mm	120 mm	275 mm					PC	2082010	

Double gate hasp

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Stainless Steel :1.4301									
325 mm	55 mm						PC	2082011	



Drop bolt

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanised									
400 mm	30 mm	Ø16 mm				1	PC	2082012	
400 mm	40 mm	Ø16 mm				1	PC	2082013	
500 mm	30 mm	Ø16 mm				1	PC	2082014	
500 mm	40 mm	Ø16 mm				1	PC	2082015	
600 mm	30 mm	Ø16 mm				1	PC	2082016	
600 mm	40 mm	Ø16 mm				1	PC	2082017	



Drop bolt

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
400 mm	20 mm	Ø16 mm				1	PC	2082018	
400 mm	40 mm	Ø16 mm				1	PC	2082019	
600 mm	20 mm	Ø16 mm				1	PC	2082020	
600 mm	40 mm	Ø16 mm				1	PC	2082021	



Door Stopper

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
125 mm	47 mm					1	PC	2082022	



Door Stopper



	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
125 mm	185 mm	150 mm					1	PC	2082023	

Tower drop bolt with fixed staple




A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
320 mm	65 mm	100 mm	Ø15 mm		1,50 mm		1	PC	2082024	
400 mm	65 mm	100 mm	Ø15 mm		1,50 mm		1	PC	2082021	
600 mm	65 mm	100 mm	Ø15 mm		1,50 mm		1	PC	2082022	

Door drop bolt




A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
400 mm	80 mm	160 mm	30 mm				1	PC	2082027	

Door drop bolt



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
250 mm	125 mm	15 mm					1	PC	2082028	

Door drop bolt



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
200 mm	70 mm	15 mm					1	PC	2082029	

T-Strap hinge light

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
200 mm	40 mm	60 mm	35 mm		2,00 mm	1	PC	2082034	
250 mm	40 mm	60 mm	35 mm		2,00 mm	1	PC	2082035	
300 mm	40 mm	60 mm	35 mm		2,00 mm	1	PC	2082036	
400 mm	40 mm	60 mm	35 mm		2,00 mm	1	PC	2082037	



T-Strap hinge Medium

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
200 mm	50 mm	90 mm	35 mm		3,00 mm	1	PC	2082038	
250 mm	50 mm	90 mm	35 mm		3,00 mm	1	PC	2082039	
300 mm	50 mm	90 mm	35 mm		3,00 mm	1	PC	2082040	
400 mm	50 mm	90 mm	35 mm		3,00 mm	1	PC	2082041	
Surface: Zinc Flake Coated									
200 mm	50 mm	90 mm	35 mm		3,00 mm	1	PC	2082042	
300 mm	50 mm	90 mm	35 mm		3,00 mm	1	PC	2082043	
Surface: Stainless Steel :1.4301									
200 mm	50 mm	90 mm	35 mm		3,00 mm	1	PC	2082044	
300 mm	50 mm	90 mm	35 mm		3,00 mm	1	PC	2082045	



T-Strap hinge Heavy

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
300 mm	70 mm	105 mm	40 mm		4,00 mm	1	PC	2082046	
400 mm	70 mm	105 mm	40 mm		4,00 mm	1	PC	2082047	
500 mm	70 mm	105 mm	40 mm		4,00 mm	1	PC	2082048	
600 mm	70 mm	105 mm	40 mm		4,00 mm	1	PC	2082049	



Strap hinge light



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
200 mm	35 mm	35 mm	75 mm		2,50 mm	1	PC	2082050	
250 mm	35 mm	35 mm	80 mm		2,50 mm	1	PC	2082051	
300 mm	35 mm	35 mm	80 mm		2,50 mm	1	PC	2082052	
400 mm	45 mm	45 mm	90 mm		3,00 mm	1	PC	2082053	
Surface: Zinc Flake Coated									
200 mm	35 mm	35 mm	75 mm		2,50 mm	1	PC	2082054	
300 mm	35 mm	35 mm	80 mm		2,50 mm	1	PC	2082055	

Strap hinge heavy



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
300 mm	45 mm	45 mm	110 mm		4,00 mm	1	PC	2082056	
400 mm	45 mm	45 mm	110 mm		4,00 mm	1	PC	2082057	
500 mm	55 mm	55 mm	110 mm		4,00 mm	1	PC	2082058	


Pulley-Block Typ 1



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
Ø10 mm	10 mm	80 mm	30 mm		3,00 mm	1	PC	2082059	
Ø13 mm	11 mm	100 mm	35 mm		5,00 mm	1	PC	2082060	
Ø16 mm	13 mm	105 mm	35 mm		5,00 mm	1	PC	2082061	
Ø16 mm	13 mm	115 mm	40 mm		4,00 mm	1	PC	2082062	
Surface: Hot Dip Galvanized									
Ø13 mm	11 mm	100 mm	35 mm		5,00 mm	1	PC	2082063	
Ø16 mm	13 mm	105 mm	35 mm		5,00 mm	1	PC	2082064	
Surface: Powder Coated White									
Ø13 mm	11 mm	100 mm	35 mm		5,00 mm	1	PC	2082065	
Ø16 mm	13 mm	105 mm	35 mm		5,00 mm	1	PC	2082066	
Surface: Zinc Flake Coated									
Ø10 mm	10 mm	80 mm	30 mm		3,00 mm	1	PC	2082067	
Ø13 mm	11 mm	100 mm	35 mm		5,00 mm	1	PC	2082068	
Ø16 mm	13 mm	105 mm	35 mm		5,00 mm	1	PC	2082069	

Pulley-Block Typ 2

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
Ø10 mm	25 mm	80 mm	30 mm		3,00 mm	1	PC	2082070	
Ø13 mm	25 mm	100 mm	35 mm		5,00 mm	1	PC	2082071	
Ø16 mm	28 mm	100 mm	35 mm		5,00 mm	1	PC	2082072	
Ø16 mm	28 mm	115 mm	40 mm		4,00 mm	1	PC	2082073	
Surface: hot dip galvanized									
Ø13 mm	25 mm	100 mm	35 mm		5,00 mm	1	PC	2082074	
Ø16 mm	28 mm	100 mm	35 mm		5,00 mm	1	PC	2082075	
Surface: Powder Coated White									
Ø13 mm	25 mm	100 mm	35 mm		5,00 mm	1	PC	2082076	
Ø16 mm	28 mm	100 mm	35 mm		5,00 mm	1	PC	2082077	
Surface: Electro Galvanized									
Ø10 mm	25 mm	80 mm	30 mm		3,00 mm	1	PC	2082078	
Ø13 mm	25 mm	100 mm	35 mm		5,00 mm	1	PC	2082079	
Ø16 mm	28 mm	100 mm	35 mm		5,00 mm	1	PC	2082080	



"G" Pulley-Block

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
Ø13 mm	170 mm	40 mm			6,0 mm	1	PC	2082081	
Ø16 mm	170 mm	40 mm			6,0 mm	1	PC	2082082	
Ø13 mm	170 mm	40 mm			8,0 mm	1	PC	2082083	
Ø16 mm	220 mm	40 mm			8,0 mm	1	PC	2082084	



"G" Pulley-Block

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
Ø10 mm	110 mm	35 mm			10,00 mm	1	PC	2082085	
Ø13 mm	110 mm	40 mm			12,00 mm	1	PC	2082086	
Ø16 mm	145 mm	40 mm			16,00 mm	1	PC	2082087	
Surface: Zinc Flake Coated									
Ø13 mm	110 mm	40 mm			12,00 mm	1	PC	2082088	
Ø16 mm	145 mm	40 mm			16,00 mm	1	PC	2082089	



Shutter hinges Light



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
200 mm	Ø10 mm	30 mm			3,00 mm	1	PC	2082090	
300 mm	Ø10 mm	30 mm			3,50 mm	1	PC	2082091	
400 mm	Ø10 mm	30 mm			3,50 mm	1	PC	2082092	
500 mm	Ø10 mm	30 mm			3,50 mm	1	PC	2082093	
Surface: Zinc Flake Coated									
300 mm	Ø10 mm	30 mm			3,50 mm	1	PC	2082094	
400 mm	Ø10 mm	30 mm			3,50 mm	1	PC	2082095	



Surface: Electro Galvanized									
300 mm	Ø13 mm	40 mm			5,00 mm	1	PC	2082096	
400 mm	Ø13 mm	40 mm			5,00 mm	1	PC	2082097	
500 mm	Ø13 mm	40 mm			5,00 mm	1	PC	2082098	
600 mm	Ø13 mm	40 mm			5,00 mm	1	PC	2082099	
700 mm	Ø13 mm	40 mm			5,00 mm	1	PC	2082100	
800 mm	Ø13 mm	40 mm			5,00 mm	1	PC	2082101	

Surface: Hot Dip Galvanized									
300 mm	Ø13 mm	40 mm			5,00 mm	1	PC	2082102	
400 mm	Ø13 mm	40 mm			5,00 mm	1	PC	2082103	
500 mm	Ø13 mm	40 mm			5,00 mm	1	PC	2082104	
600 mm	Ø13 mm	40 mm			5,00 mm	1	PC	2082105	

Surface: Zinc Flake Coated									
400 mm	Ø13 mm	40 mm			5,00 mm	1	PC	2082106	
500 mm	Ø13 mm	40 mm			5,00 mm	1	PC	2082107	
600 mm	Ø13 mm	40 mm			5,00 mm	1	PC	2082108	

Shutter hinges Heavy




A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
400 mm	Ø16 mm	45 mm			5,00 mm	1	PC	2082109	
500 mm	Ø16 mm	45 mm			5,00 mm	1	PC	2082110	
600 mm	Ø16 mm	45 mm			5,00 mm	1	PC	2082111	
700 mm	Ø16 mm	45 mm			5,00 mm	1	PC	2082112	
800 mm	Ø16 mm	45 mm			5,00 mm	1	PC	2082113	
1000mm	Ø16 mm	45 mm			5,00 mm	1	PC	2082114	

Surface: Hot Dip Galvanized									
400 mm	Ø16 mm	45 mm			5,00 mm	1	PC	2082115	
500 mm	Ø16 mm	45 mm			5,00 mm	1	PC	2082116	
600 mm	Ø16 mm	45 mm			5,00 mm	1	PC	2082117	
700 mm	Ø16 mm	45 mm			5,00 mm	1	PC	2082118	
800 mm	Ø16 mm	45 mm			5,00 mm	1	PC	2082119	

Shutter hinges Heavy

Surface: Zinc Flake Coated										
400 mm	Ø16 mm	45 mm			5,00 mm		1	PC	2082120	
600 mm	Ø16 mm	45 mm			5,00 mm		1	PC	2082121	

Surface: Stainless Steel :1.4301 										
400 mm	Ø16 mm	45 mm			4,00 mm		1	PC	2082122	
600 mm	Ø16 mm	45 mm			4,00 mm		1	PC	2082123	


Shutter hinges Bend

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
550 mm	Ø16 mm	45 mm			5,00 mm		1	PC	2082124	
650 mm	Ø16 mm	45 mm			5,00 mm		1	PC	2082125	



Weld on Hinge

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: No Coating										
85	Ø13 mm	40 mm			5,00 mm		1	PC	2082126	
75	Ø16 mm	40 mm			5,00 mm		1	PC	2082127	




Weld on Hook

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: No Coating										
65	Ø13 mm						1	PC	2082128	
53	Ø16 mm						1	PC	2082129	




"T" Shutter Hinge



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
160 mm	50 mm	Ø13 mm	35 mm	75 mm	4,00 mm		1	PC	2082130	


Gate corner hinge light



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
350 mm	400 mm	Ø16 mm	45 mm	105 mm	5,00 mm		1	PAIR	2082131	
600 mm	400 mm	Ø16 mm	45 mm	105 mm	5,00 mm		1	PAIR	2082132	
800 mm	400 mm	Ø16 mm	45 mm	105 mm	5,00 mm		1	PAIR	2082133	


Barrel bolt

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
35 mm	35 mm		Ø7 mm			1	PC	2072001	
40 mm	40 mm		Ø8 mm			1	PC	2072002	
47 mm	47 mm		Ø9 mm			1	PC	2072003	



Floor drop bolt with fixed staple

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
72 mm	26 mm					1	PC	2072005	
75 mm	28 mm					1	PC	2072006	
97 mm	28 mm					1	PC	2072007	
100 mm	30 mm					1	PC	2072008	



Window latch with Knob straight, with fixed staple

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
60 mm	25 mm	30 mm				1	PC	2072010	
80 mm	30 mm	30 mm				1	PC	2072011	
100 mm	30 mm	38 mm				1	PC	2072012	
120 mm	35 mm	38 mm				1	PC	2072013	




Cranked, with locking plate

Surface: Electro Galvanized									
60 mm	25 mm					1	PC	2072014	
80 mm	30 mm					1	PC	2072015	
100 mm	30 mm					1	PC	2072016	

Straight, with fixed staple


Surface: Stainless Steel :1.4301 									
80 mm	30 mm					1	PC	2072017	

Window latch with Knob straight, with fixed staple



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
100 mm	45 mm					1	PC	2072018	
120 mm	45 mm					1	PC	2072019	
140 mm	55 mm					1	PC	2072020	
160 mm	55 mm					1	PC	2072021	

Window latch with Lock and Flat handle straight, with fixed staple



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
100 mm	45 mm					1	PC	2072029	
120 mm	45 mm					1	PC	2072030	
140 mm	55 mm					1	PC	2072031	
160 mm	55 mm					1	PC	2072032	
180 mm	65 mm					1	PC	2072033	
200 mm	65 mm					1	PC	2072034	


Crancked, with fixed staple

Surface: Electro Galvanized									
100 mm	45 mm					1	PC	2072035	
120 mm	45 mm					1	PC	2072036	
140 mm	55 mm					1	PC	2072037	
160 mm	55 mm					1	PC	2072038	

Straight, with fixed staple

Surface: Black Powder Coated									
100 mm	45 mm					1	PC	2072039	

Bolt lock with round knob



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
80 mm	58 mm					1	PC	2072040	
100 mm	60 mm					1	PC	2072041	


Shutter hasp

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanised Yellow									
120 mm	18 mm	18 mm	65 mm			1	PC	2072042	



Locking tower bolt with flat handle straight, with fixed staple

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
100 mm	65 mm					1	PC	2072043	
115 mm	65 mm					1	PC	2072044	
130 mm	75 mm					1	PC	2072045	



Hook and eye on plate with eye

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
100 mm	Ø5,2 mm					1	PC	2072052	
120 mm	Ø5,8 mm					1	PC	2072053	
100 mm	Ø5,2 mm					1	SB	2072054	
120 mm	Ø5,8 mm					1	SB	2072055	




Hook and eye on plate with eye

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
50 mm	Ø3 mm					1	PC	2072056	
60 mm	Ø3 mm					1	PC	2072057	
75 mm	Ø4 mm					1	PC	2072058	
100 mm	Ø4 mm					1	PC	2072059	
120 mm	Ø4 mm					1	PC	2072060	
60 mm	Ø4 mm					1	SB	2072061	
75 mm	Ø4 mm					1	SB	2072062	
100 mm	Ø4 mm					1	SB	2072063	
120 mm	Ø4 mm					1	SB	2072064	



Window shutter corner hinge



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
250 mm	200 mm	Ø13 mm	30 mm		3,0 mm	1	PC	2072065	

Window shutter middle hinge



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
250 mm	200 mm	Ø13 mm	35 mm	75 mm	3,00 mm/4,00 mm	1	PAIR	2072066	
300 mm	250 mm	Ø13 mm	35 mm	75 mm	3,00 mm/4,00 mm	1	PAIR	2072067	

Staple



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
15 mm	16 mm					1	PC	2072068	
20 mm	16 mm					1	PC	2072069	
25 mm	16 mm					1	PC	2072070	
30 mm	16 mm					1	PC	2072071	
40 mm	16 mm					1	PC	2072072	
45 mm	13 mm					1	PC	2072073	
55 mm	20 mm					1	PC	2072074	
75 mm	20 mm					1	PC	2072075	

Staple Round



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
37 mm	10 mm	9 mm				1	PC	2072076	
52 mm	13 mm	12,5 mm				1	PC	2072077	
58 mm	20 mm	18 mm				1	PC	2072078	

Fence bracket

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
83 mm	32 mm	30 mm	38 mm	⊕ ⊗	1,75 mm	1	PC	2066115	
83 mm	32 mm	30 mm	38 mm	⊕ ⊗	1,75 mm	4	☑	2066116	
83 mm	32 mm	30 mm	38 mm	⊕ ⊗	1,75 mm	50	▨	2066117	
Surface: Hot Dip Galvanized									
83 mm	32 mm	30 mm	38 mm	⊕ ⊗	1,75 mm	1	PC	2066118	
Surface: Zinc Flake Coated									
83 mm	32 mm	30 mm	38 mm	⊕ ⊗	1,75 mm	1	PC	2066119	
Surface: Stainless Steel :1.4301									
83 mm	32 mm	30 mm	38 mm	⊕ ⊗	2,00 mm	1	PC	2066120	
83 mm	32 mm	30 mm	38 mm	⊕ ⊗	2,00 mm	4	☑	2066121	
83 mm	32 mm	30 mm	38 mm	⊕ ⊗	2,00 mm	12	▨	2066122	



Fence bracket U Shaped

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
83 mm	38 mm	30 mm	38 mm	⊕ ⊗	1,75 mm	1	PC	2066123	



Fence bracket with Slot

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
90 mm	32 mm	30 mm	45 mm	⊕ ⊗	1,75 mm	1	PC	2066124	



Fence bracket Long

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
115 mm	32 mm	30 mm	70 mm	⊕ ⊗	1,75 mm	1	PC	2066125	



Builder Band



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
12 mm				10 M	0,75 mm	1	PC	2066126	
17 mm				10 M	0,75 mm	1	PC	2066127	
20 mm				10 M	0,75 mm	1	PC	2066128	

Surface: Powder Coated White									
12 mm				1.50 M	0,75 mm	1	PC	2066129	
17 mm				1.50 M	0,75 mm	1	PC	2066130	
20 mm				1.50 M	0,75 mm	1	PC	2066131	

Surface: Powder Coated Brown									
12 mm				1.50 M	0,75 mm	1	PC	2066132	
17 mm				1.50 M	0,75 mm	1	PC	2066133	
20 mm				1.50 M	0,75 mm	1	PC	2066134	

Surface: Powder Coated Black									
12 mm				1.50 M	0,75 mm	1	PC	2066135	
17 mm				1.50 M	0,75 mm	1	PC	2066136	
20 mm				1.50 M	0,75 mm	1	PC	2066137	

Builder Band



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
12 mm				3 M	0,75 mm	1	PC	2066138	
17 mm				3 M	0,75 mm	1	PC	2066139	
20 mm				3 M	0,75 mm	1	PC	2066140	

Fence rail connector



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized									
300 mm	30 mm				5,00 mm	1	PC	2066141	

Fence rail connector

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
45 mm	38 mm				2,00 mm		1	PC	2066142	



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
30 mm	38 mm				2,00 mm		1	PC	2066143	




A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
61 mm	60 mm	80 mm			2,50 mm		1	PC	2066144	
71 mm	70 mm	80 mm			3,00 mm		1	PC	2066145	
91 mm	90 mm	90 mm			3,00 mm		1	PC	2066146	



Box Fittings

Box handle



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
100 mm	80 mm				1,50 mm		1	PC	2066150	
120 mm	95 mm				1,50 mm		1	PC	2066151	
Surface: Zinc Flake Coated										
120 mm	85 mm						1	PC	2066152	
Surface: Stainless Steel :1.4301 										
120 mm	85 mm						1	PC	2066153	

Box handle



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
118 mm	80 mm						1	PC	2066154	


Box handle






A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
125 mm	76 mm	30 mm					1	PC	2066155	
Surface: Powder Coated Black										
125 mm	76 mm	30 mm					1	PC	2066156	

Box Hasp with latch





A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized										
75 mm	30 mm						1	PC	2066157	
75 mm	30 mm						1		2066158	
Surface: Zinc Flake Coated										
75 mm	30 mm						1	PC	2066159	

Closing Hook

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
25 mm	85 mm					1	PC	2066160	
28 mm	38 mm					1	PC	2066161	
18 mm	50 mm					1	PC	2066162	
25 mm	85 mm					1		2066163	
28 mm	38 mm					1		2066164	
18 mm	50 mm					1		2066165	



Box Corner

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
28 mm						1	PC	2066166	
36 mm						1	PC	2066167	
45 mm						1	PC	2066168	
28 mm						1		2066169	
36 mm						1		2066170	
45 mm						1		2066171	
Surface: Zinc Flake Coated									
28 mm						1	PC	2066172	
36 mm						1	PC	2066173	
45 mm						1	PC	2066174	



Hasp Straight End

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
100 mm	35 mm	150 mm			2,50 mm	1	PC	2066175	
100 mm	35 mm	200 mm			3,00 mm	1	PC	2066176	



Hasp with Decorative

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
250 mm	90 mm	35 mm			2,50 mm	1	PC	2066177	
300 mm	90 mm	35 mm			2,50 mm	1	PC	2066178	



Hasp with staple made of rolled wire



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
80 mm	22 mm					1	PC	2066179	
100 mm	30 mm					1	PC	2066180	
120 mm	34 mm					1	PC	2066181	
140 mm	38 mm					1	PC	2066182	
80 mm	22 mm					1	SB	2066183	
100 mm	30 mm					1	SB	2066184	
120 mm	34 mm					1	SB	2066185	
140 mm	38 mm					1	SB	2066186	

Hasp without hook



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
250 mm	30 mm	112 mm				1	PC	2066187	

Security closing hasp with eye on plate



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
85 mm	37 mm	38 mm				1	PC	2066188	
93 mm	37 mm	38 mm				1	PC	2066189	
153 mm	50 mm	68 mm				1	PC	2066190	


Security closing hasp with eye on plate



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
83 mm	37 mm	30 mm				1	PC	2066191	
Surface: Stainless Steel :1.4301									
83 mm	37 mm	30 mm				1	PC	2066192	

Security closing hasp with eye on plate

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
38 mm	38 mm	15 mm	13 mm		2,00 mm	1	PC	2066193	
50 mm	50 mm	20 mm	22 mm		3,00 mm	1	PC	2066194	
Surface: Zinc Flake Coated									
38 mm	38 mm	15 mm	13 mm		2,00 mm	1	PC	2066195	
50 mm	50 mm	20 mm	22 mm		3,00 mm	1	PC	2066196	



Loop Plates

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
64 mm	41 mm					1	PC	2066197	



Loop Plates

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
35 mm	35 mm				2,00 mm	1	PC	2066198	

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized									
35 mm	35 mm				2,00 mm	1	PC	2066199	



POST SUPPORTS

Post Supports

L Post Support

With Ribbar



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
40 mm	80 mm	150 mm	50 mm	Ø12 mm	4,00 mm		1	PC	2066000	CE
80 mm	100 mm	200 mm	60 mm	Ø16 mm	4,00 mm		1	PC	2066003	CE

L Post Support

With Roundbar



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
70 mm	100 mm	200 mm	60 mm	Ø16 mm	4,00 mm		1	PC	2066001	CE
Surface: Stainless Steel :1.4301										
70 mm	100 mm	200 mm	60 mm	Ø16 mm	4,00 mm		1	PC	2062909	CE

U Post Support

With Ribbar



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
45 mm	80 mm	150 mm	50 mm	Ø12 mm	4,00 mm		1	PC	2066901	CE
61 mm	80 mm	150 mm	50 mm	Ø12 mm	4,00 mm		1	PC	2066004	CE
71 mm	80 mm	150 mm	50 mm	Ø12 mm	4,00 mm		1	PC	2066005	CE
81 mm	80 mm	150 mm	50 mm	Ø12 mm	4,00 mm		1	PC	2066006	CE
91 mm	80 mm	150 mm	50 mm	Ø12 mm	4,00 mm		1	PC	2066007	CE



Surface: Hot Dip Galvanized										
71 mm	100 mm	200 mm	60 mm	Ø16 mm	4,00 mm		1	PC	2066008	CE
75 mm	100 mm	200 mm	60 mm	Ø16 mm	4,00 mm		1	PC	2066902	CE
81 mm	100 mm	200 mm	60 mm	Ø16 mm	4,00 mm		1	PC	2066009	CE
91 mm	100 mm	200 mm	60 mm	Ø16 mm	4,00 mm		1	PC	2066010	CE
101 mm	100 mm	200 mm	60 mm	Ø16 mm	4,00 mm		1	PC	2066011	CE
121 mm	100 mm	200 mm	60 mm	Ø16 mm	4,00 mm		1	PC	2066903	CE



Surface: Hot Dip Galvanized										
71 mm	100 mm	400 mm	60 mm	Ø16 mm	4,00 mm		1	PC	2066550	
91 mm	100 mm	400 mm	60 mm	Ø16 mm	4,00 mm		1	PC	2066552	
101 mm	100 mm	400 mm	60 mm	Ø16 mm	4,00 mm		1	PC	2066553	

U Post Support

With Roundbar

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
71 mm	100 mm	200 mm	60 mm	Ø16 mm	4,00 mm		1	PC	2066905	CE
81 mm	100 mm	200 mm	60 mm	Ø16 mm	4,00 mm		1	PC	2066906	CE
91 mm	100 mm	200 mm	60 mm	Ø16 mm	4,00 mm		1	PC	2066907	CE
101 mm	100 mm	200 mm	60 mm	Ø16 mm	4,00 mm		1	PC	2066908	CE
121 mm	100 mm	200 mm	60 mm	Ø16 mm	4,00 mm		1	PC	2066909	CE



Surface: Stainless Steel :1.4301										
71 mm	100 mm	200 mm	60 mm	Ø16 mm	4,00 mm		1	PC	2066910	CE
91 mm	100 mm	200 mm	60 mm	Ø16 mm	4,00 mm		1	PC	2066911	CE

T post support

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
71 mm	195 mm	60 mm	50 mm	200 mm	4,00 mm		1	PC	2066028	CE
81 mm	195 mm	60 mm	50 mm	200 mm	4,00 mm		1	PC	2066029	CE
91 mm	195 mm	60 mm	50 mm	200 mm	4,00 mm		1	PC	2066030	CE
101 mm	195 mm	60 mm	50 mm	200 mm	4,00 mm		1	PC	2066031	CE
121 mm	195 mm	60 mm	50 mm	200 mm	4,00 mm		1	PC	2066032	CE



Surface: Stainless Steel :1.4301										
71 mm	195 mm	60 mm	50 mm	200 mm	4,00 mm		1	PC	2066038	CE
91 mm	195 mm	60 mm	50 mm	200 mm	4,00 mm		1	PC	2066039	CE

U post support

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
71 mm	150 mm	100 mm	60 mm		4,00 mm		1	PC	2066018	CE
81 mm	150 mm	100 mm	60 mm		4,00 mm		1	PC	2066019	CE
91 mm	150 mm	100 mm	60 mm		4,00 mm		1	PC	2066020	CE
101 mm	150 mm	100 mm	60 mm		4,00 mm		1	PC	2066021	CE
121 mm	150 mm	100 mm	60 mm		4,00 mm		1	PC	2066022	CE



Post Supports

U post support

With Ribbar



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
71 mm	150 mm	100 mm	60 mm	Ø16 mm	4,00 mm		1	PC	2066554	
91 mm	150 mm	100 mm	60 mm	Ø16 mm	4,00 mm		1	PC	2066555	
101 mm	150 mm	100 mm	60 mm	Ø16 mm	4,00 mm		1	PC	2066556	
121 mm	150 mm	100 mm	60 mm	Ø16 mm	4,00 mm		1	PC	2066557	

U post support


With T-Iron



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
71 mm	200 mm	200 mm	50 mm	40 x 5 mm	4,00 mm		1	PC	2066040	CE
81 mm	200 mm	200 mm	50 mm	40 x 5 mm	4,00 mm		1	PC	2066041	
91 mm	200 mm	200 mm	50 mm	40 x 5 mm	4,00 mm		1	PC	2066042	CE
101 mm	200 mm	200 mm	50 mm	40 x 5 mm	4,00 mm		1	PC	2066043	CE

H post support



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
71 mm	300 mm	600 mm	60 mm		5,00 mm		1	PC	2066054	CE
91 mm	300 mm	600 mm	60 mm		5,00 mm		1	PC	2066055	CE
101 mm	300 mm	600 mm	60 mm		5,00 mm		1	PC	2066056	CE
111 mm	300 mm	600 mm	60 mm		5,00 mm		1	PC	2066558	
121 mm	300 mm	600 mm	60 mm		5,00 mm		1	PC	2066057	CE
141 mm	300 mm	600 mm	60 mm		5,00 mm		1	PC	2066559	
Surface: Stainless Steel :1.4301 										
91 mm	300 mm	600 mm	60 mm		4,00 mm		1	PC	2066062	CE

H post support

Heavy

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
71 mm	300 mm	600 mm	60 mm		6,00 mm		1	PC	4066054	
91 mm	300 mm	600 mm	60 mm		6,00 mm		1	PC	2066059	CE
101 mm	300 mm	600 mm	60 mm		6,00 mm		1	PC	2066060	CE
111 mm	300 mm	600 mm	60 mm		6,00 mm		1	PC	4066560	
121 mm	300 mm	600 mm	60 mm		6,00 mm		1	PC	2066061	CE
141 mm	300 mm	600 mm	60 mm		6,00 mm		1	PC	4066561	

H post support

Adjustable

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
71-101 mm	300 mm	600 mm	60 mm		5,00 mm	1	PC	2066562	
71-101 mm	300 mm	600 mm	60 mm		6,00 mm	1	PC	2066568	

Surface: **Stainless Steel :1.4301**



71-101 mm	300 mm	600 mm	60 mm		4,00 mm	1	PC	2066569	
-----------	--------	--------	-------	--	---------	---	----	---------	--



U post support

Adjustable width Fix Base

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized Blue									
71-131 mm	110 mm	70 mm	100 mm			1	PC	2066073	CE



U post support

Adjustable width Fix Base with Stainless Steel Bolts and Nuts

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized									
61-150 mm	100 mm		60 mm			1	PC	2066564	



U post support

Adjustable width with Ribbar

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized Blue									
71-131 mm	110 mm	70 mm	100 mm	Ø16 mm		1	PC	2066800	CE



U post support

Adjustable width with Ribbar with Stainless Steel Bolts and Nuts

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized									
65-150 mm	100 mm		60 mm			1	PC	2066565	



Post Supports

U post support

Adjustable width and height



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized Blue										
71-161 mm	110 mm	150-190 mm	70 mm				1	PC	2066072	CE

U post support


Adjustable width and height with Ribbar



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized Blue										
71-161 mm	110 mm	250 mm					1	PC	2066820	CE

U post support

Adjustable width and height with Stainless Steel Bolts and Nuts



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
65-150 mm	100 mm		60 mm	Ø16 mm			1	PC	2066566	

U post support

Adjustable width with Stainless Steel Bolts and Nuts



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
71-151 mm	170 mm	80 mm					1	PC	2066567	

T post support

with flitch plate



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
130 mm	100 mm	100 mm	80 mm				1	PC	2066821	CE

T post support

with flitch plate and Ribbar

A	B	C	D	E	Material Thickness	concrete anchor	Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
130 mm	200 mm	80 mm	80 mm			Ø16 mm	1	PC	2066820	CE



T post support

with flitch plate and Tube

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
130 mm	300 mm	80 mm	90 mm		Ø48 mm		1	PC	2066600	
130 mm	500 mm	80 mm	90 mm		Ø48 mm		1	PC	2066601	
130 mm	150 mm	80 mm	90 mm		Ø48 mm		1	PC	2066602	
130 mm	200 mm	80 mm	90 mm		Ø48 mm		1	PC	2066603	



I post support

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
100 mm	200 mm	70 mm	70 mm			Ø16 mm	1	PC	2066604	



I post support

Adjustable height

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized Blue										
70 mm	100 mm	30-150 mm	150 mm				1	PC	2066814	CE
150 mm	100 mm	30-150 mm	150 mm				1	PC	2066815	CE



I post support

Adjustable height

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized Blue										
80 mm	100 mm	100-230 mm	340 mm				1	PC	2066816	CE



Post Supports


Post support

Adjustable height




A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized Blue										
70 mm	100 mm	150-190 mm					1	PC	2066822	CE

Post support



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
90 mm	70 mm	70 mm	90 mm	78 mm		Ø 27 mm	1	PC	2066066	CE
100 mm	100 mm	100 mm	100 mm	100 mm		Ø 42 mm	1	PC	2066067	CE

Post support



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
150 mm	100 mm	100 mm				Ø 42 mm	1	PC	2066812	CE
150 mm	100 mm	150 mm				Ø 42 mm	1	PC	2066813	CE

Post support

Bolt Down for Square Wood Post



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
71 mm	71 mm	150 mm	150 mm	150 mm	1,80 mm		1	PC	2066091	
91 mm	91 mm	150 mm	150 mm	150 mm	1,80 mm		1	PC	2066092	
101 mm	101 mm	150 mm	150 mm	150 mm	1,80 mm		1	PC	2066625	
121 mm	121 mm	150 mm	180 mm	180 mm	1,80 mm		1	PC	2066625	

Post support

Bolt Down for Round Wood Post



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certifica
Surface: Hot Dip Galvanized										
Ø81 mm	150 mm	150 mm	150 mm		1,80 mm		1	PC	2066093	
Ø101 mm	150 mm	150 mm	150 mm		1,80 mm		1	PC	2066094	

Post support

Bolt Down for wall

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized									
71 mm	71 mm	150 mm	40 mm		1,80 mm	1	PC	2066097	
91 mm	91 mm	150 mm	40 mm		1,80 mm	1	PC	2066078	



Fence Post Spike

for Square Wood Post

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized									
71 mm	71 mm	750 mm			1,80 mm	1	PC	2066079	
71 mm	71 mm	900 mm			1,80 mm	1	PC	2066080	
91 mm	91 mm	750 mm			1,80 mm	1	PC	2066081	
91 mm	91 mm	900 mm			1,80 mm	1	PC	2066082	



Fence Post Spike

for Round Wood Post

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized									
Ø80 mm	150 mm	600 mm			1,80 mm	1	PC	2066083	
Ø100 mm	150 mm	600 mm			1,80 mm	1	PC	2066085	



Ground Screw

for Square Wood Post

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized									
71 mm	71 mm	600 mm			1,80 mm	1	PC	2066087	
91 mm	91 mm	600 mm			1,80 mm	1	PC	2066088	



Post Support

for Square Wood Post

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized									
71 mm	71 mm	350 mm	150 mm		1,80 mm	1	PC	2066089	
91 mm	91 mm	350 mm	150 mm		1,80 mm	1	PC	2066090	



Post Supports




Fence Post Spike

Adjustable for Square Wood Post

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized									
71 mm	71 mm	150 mm	750 mm		1,80 mm	1	PC	2066606	
91 mm	91 mm	150 mm	750 mm		1,80 mm	1	PC	2066607	
71 mm	71 mm	150 mm	900 mm		1,80 mm	1	PC	2066628	
91 mm	91 mm	150 mm	900 mm		1,80 mm	1	PC	2066629	

Post cap

for Square wood post flat shaped



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized									
70 mm	70 mm					1	PC	2066095	
90 mm	90 mm					1	PC	2066096	

Material: Copper									
70 mm	70 mm					1	PC	2066099	
90 mm	90 mm					1	PC	2066100	


Surface: Powder Coated Black									
70 mm	70 mm					1	PC	2066226	
90 mm	90 mm					1	PC	2066227	

Surface: Zinc Flake Coated									
70 mm	70 mm					1	PC	2066228	
90 mm	90 mm					1	PC	2066229	

Surface: Stainless Steel :1.4301									
70 mm	70 mm					1	PC	2066103	
90 mm	90 mm					1	PC	2066104	

Post cap with ball

for Square wood post with ball top




A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized									
70 mm	70 mm	Ø60 mm				1	PC	2066107	
90 mm	90 mm	Ø80 mm				1	PC	2066108	

Material: Copper									
70 mm	70 mm	Ø60 mm				1	PC	2066109	
90 mm	90 mm	Ø80 mm				1	PC	2066110	

Surface: Powder Coated Black									
70 mm	70 mm	Ø60 mm				1	PC	2066224	
90 mm	90 mm	Ø80 mm				1	PC	2066225	

Post cap with ball

for Square wood post with ball top

Surface: Stainless Steel :1.4301 										
A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified	
70 mm	70 mm	Ø60 mm				1	PC	2066111		
90 mm	90 mm	Ø80 mm				1	PC	2066112		

Post cap


for Square wood post Pyramid shaped


A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified	
Surface: Hot Dip Galvanized										
70 mm	70 mm					1	PC	2066609		
90 mm	90 mm					1	PC	2066610		



Post cap

for round wooden posts

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified	
Surface: Stainless Steel :1.4301 										
70 mm	70 mm					1	PC	2066611		
90 mm	90 mm					1	PC	2066612		




Post cap

for round wooden posts

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified	
Surface: Hot Dip Galvanized										
Ø80 mm						1	PC	2066613		
Ø100 mm						1	PC	2066614		



Material: Copper										
Ø80 mm						1	PC	2066615		
Ø100 mm						1	PC	2066616		

Surface: Stainless Steel :1.4301 										
Ø80 mm						1	PC	2066617		
Ø100 mm						1	PC	2066618		

Post Supports

Post cap

for Round wood post Pyramid shaped




A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized									
Ø80 mm						1	PC	2066619	
Ø100 mm						1	PC	2066620	
Material: Copper									
Ø80 mm						1	PC	2066621	
Ø100 mm						1	PC	2066622	
Surface: Stainless Steel :1.4301									
Ø80 mm						1	PC	2066623	
Ø100 mm						1	PC	2066624	

WOOD
CONNECTORS

Wood Connectors

Flat connector




A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275									
60 mm	40 mm				2,00 mm	1	PC	2062000	CE
80 mm	40 mm				2,00 mm	1	PC	2062001	CE
100 mm	40 mm				2,00 mm	1	PC	2062003	CE
80 mm	40 mm				2,00 mm	6		2062002	CE
100 mm	40 mm				2,00 mm	6		2062004	CE
Surface: Zinc Flake Coated									
60 mm	40 mm				2,00 mm	1	PC	6062000	CE
80 mm	40 mm				2,00 mm	1	PC	6062001	CE
100 mm	40 mm				2,00 mm	1	PC	6062003	CE
Material: Stainless Steel :1.4301 									
60 mm	40 mm				2,00 mm	1	PC	4062000	CE
80 mm	40 mm				2,00 mm	1	PC	4062001	CE
100 mm	40 mm				2,00 mm	1	PC	4062003	CE

Angle connector









A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275									
40 mm	40 mm	20 mm			2,00 mm	1	PC	2062005	
40 mm	40 mm	40 mm			2,00 mm	1	PC	2062006	CE
50 mm	50 mm	40 mm			2,00 mm	1	PC	2062007	CE
40 mm	40 mm	20 mm			2,00 mm	24		2062008	
40 mm	40 mm	40 mm			2,00 mm	24		2062009	CE
50 mm	50 mm	40 mm			2,00 mm	24		2062010	CE
40 mm	40 mm	20 mm			2,00 mm	40		2062011	
40 mm	40 mm	40 mm			2,00 mm	40		2062012	CE
50 mm	50 mm	40 mm			2,00 mm	40		2062013	CE
Surface: White Powder Coated									
40 mm	40 mm	40 mm			2,00 mm	1	PC	2062016	CE
50 mm	50 mm	40 mm			2,00 mm	1	PC	2062017	CE
Surface: Brown Powder Coated									
40 mm	40 mm	40 mm			2,00 mm	1	PC	2062014	CE
50 mm	50 mm	40 mm			2,00 mm	1	PC	2062015	CE
Surface: Black Powder Coated									
40 mm	40 mm	40 mm			2,00 mm	1	PC	4062014	CE
50 mm	50 mm	40 mm			2,00 mm	1	PC	4062015	CE
Surface: Zinc Flake Coated									
40 mm	40 mm	20 mm			2,00 mm	1	PC	6062005	
40 mm	40 mm	40 mm			2,00 mm	1	PC	6062006	CE
50 mm	50 mm	40 mm			2,00 mm	1	PC	6062007	CE

Angle connector

Material: Stainless Steel :1.4301 										
40 mm	40 mm	40 mm			2,00 mm		1	PC	2062018	CE
50 mm	50 mm	40 mm			2,00 mm		1	PC	2062019	CE

Flat connector

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275										
95 mm	35 mm				2,50 mm		1	PC	2062020	CE
135 mm	55 mm				2,50 mm		1	PC	2062021	CE
175 mm	65 mm				2,50 mm		1	PC	2062022	CE
175 mm	40 mm				2,50 mm		1	PC	2062023	CE
195 mm	90 mm				2,50 mm		1	PC	2062024	CE
295 mm	60 mm				2,50 mm		1	PC	2062025	
95 mm	35 mm				2,50 mm		24		2062027	CE
135 mm	55 mm				2,50 mm		12		2062028	CE
95 mm	35 mm				2,50 mm		12		2062029	CE
135 mm	55 mm				2,50 mm		12		2062030	CE
175 mm	40 mm				2,50 mm		12		2062031	CE



Surface: White Powder Coated										
95 mm	35 mm				2,50 mm		1	PC	2062038	CE
135 mm	55 mm				2,50 mm		1	PC	2062036	CE
175 mm	40 mm				2,50 mm		1	PC	2062037	CE


Surface: Brown Powder Coated										
95 mm	35 mm				2,50 mm		1	PC	2062032	CE
135 mm	55 mm				2,50 mm		1	PC	2062033	CE
175 mm	40 mm				2,50 mm		1	PC	2062034	CE

Surface: Black Powder Coated										
95 mm	35 mm				2,50 mm		1	PC	4062032	CE
135 mm	55 mm				2,50 mm		1	PC	4062033	CE
175 mm	40 mm				2,50 mm		1	PC	4062034	CE

Surface: Zinc Flake Coated										
95 mm	35 mm				2,50 mm		1	PC	6062020	CE
135 mm	55 mm				2,50 mm		1	PC	6062021	CE
175 mm	40 mm				2,50 mm		1	PC	6062022	CE


Material: Stainless Steel :1.4301 										
95 mm	35 mm				2,00 mm		1	PC	2062044	CE
135 mm	55 mm				2,00 mm		1	PC	2062039	CE
175 mm	40 mm				2,00 mm		1	PC	2062040	CE

Angle Connector










A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275									
50 mm	50 mm	35 mm			2,50 mm	1	PC	2062041	CE
70 mm	70 mm	55 mm			2,50 mm	1	PC	2062043	CE
90 mm	90 mm	40 mm			2,50 mm	1	PC	2062045	CE
90 mm	90 mm	65 mm			2,50 mm	1	PC	2062049	CE
100 mm	100 mm	90 mm			3,00 mm	1	PC	2062056	CE
70 mm	70 mm	55 mm			2,50 mm	12		4062043	CE
90 mm	90 mm	40 mm			2,50 mm	12		2062048	CE
90 mm	90 mm	65 mm			2,50 mm	12		2062042	CE
100 mm	100 mm	90 mm			3,00 mm	12		2062050	CE
50 mm	50 mm	35 mm			2,50 mm	24		2062051	CE
50 mm	50 mm	35 mm			2,50 mm	40		2062052	CE
70 mm	70 mm	55 mm			2,50 mm	20		2062053	CE
90 mm	90 mm	40 mm			2,50 mm	20		2062054	CE
90 mm	90 mm	65 mm			2,50 mm	20		2062055	CE
100 mm	100 mm	90 mm			3,00 mm	20		2062046	CE
Surface: White Powder Coated									
50 mm	50 mm	35 mm			2,50 mm	1	PC	2062047	CE
70 mm	70 mm	55 mm			2,50 mm	1	PC	2062060	CE
90 mm	90 mm	40 mm			2,50 mm	1	PC	2062061	CE
90 mm	90 mm	65 mm			2,50 mm	1	PC	2062062	CE
Surface: Brown Powder Coated									
50 mm	50 mm	35 mm			2,50 mm	1	PC	2062985	CE
70 mm	70 mm	55 mm			2,50 mm	1	PC	2062057	CE
90 mm	90 mm	40 mm			2,50 mm	1	PC	2062058	CE
90 mm	90 mm	65 mm			2,50 mm	1	PC	2062059	CE
Surface: Black Powder Coated									
50 mm	50 mm	35 mm			2,50 mm	1	PC	4062047	CE
70 mm	70 mm	55 mm			2,50 mm	1	PC	4062060	CE
90 mm	90 mm	40 mm			2,50 mm	1	PC	4062061	CE
90 mm	90 mm	65 mm			2,50 mm	1	PC	4062062	CE
Surface: Zinc Flake Coated									
50 mm	50 mm	35 mm			2,50 mm	1	PC	6062041	CE
70 mm	70 mm	55 mm			2,50 mm	1	PC	6062043	CE
90 mm	90 mm	40 mm			2,50 mm	1	PC	6062045	CE
90 mm	90 mm	65 mm			2,50 mm	1	PC	6062049	CE
100 mm	100 mm	90 mm			3,00 mm	1	PC	6062056	CE
Material: Stainless Steel :1.4301 									
50 mm	50 mm	35 mm			2,00 mm	1	PC	2062901	CE
70 mm	70 mm	55 mm			2,00 mm	1	PC	2062063	CE
90 mm	90 mm	40 mm			2,00 mm	1	PC	2062064	CE
90 mm	90 mm	65 mm			2,00 mm	1	PC	2062065	CE

Angle connector 135 Degree

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275									
50 mm	50 mm	35 mm			2,50 mm	1	PC	2062082	
70 mm	70 mm	55 mm			2,50 mm	1	PC	2062083	
90 mm	90 mm	40 mm			2,50 mm	1	PC	2062781	
90 mm	90 mm	65 mm			2,50 mm	1	PC	2062084	
Surface: Zinc Flake Coated									
50 mm	50 mm	35 mm			2,50 mm	1	PC	6062082	
70 mm	70 mm	55 mm			2,50 mm	1	PC	6062083	
90 mm	90 mm	40 mm			2,50 mm	1	PC	6062781	
90 mm	90 mm	65 mm			2,50 mm	1	PC	6062910	
Material: Stainless Steel :1.4301 									
50 mm	50 mm	35 mm			2,50 mm	1	PC	4062082	
70 mm	70 mm	55 mm			2,50 mm	1	PC	4062083	
90 mm	90 mm	40mm			2,00mm	1	PC	2062910	



Angle Connector with Rib

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275									
70 mm	70 mm	55 mm			2,50 mm	1	PC	2062066	CE
90 mm	90 mm	65 mm			2,50 mm	1	PC	2062067	CE
100 mm	100 mm	90 mm			3,00 mm	1	PC	2062068	CE
70 mm	70 mm	55 mm			2,50 mm	12		2062069	CE
90 mm	90 mm	65 mm			2,50 mm	12		2062070	CE
100 mm	100 mm	90 mm			3,00 mm	12		2062071	CE
70 mm	70 mm	55 mm			2,50 mm	20		2062072	CE
90 mm	90 mm	65 mm			2,50 mm	20		2062073	CE
100 mm	100 mm	90 mm			3,00 mm	20		2062074	CE
Surface: White Powder Coated									
70 mm	70 mm	55 mm			2,50 mm	1	PC	2062075	CE
90 mm	90 mm	65 mm			2,50 mm	1	PC	2062076	CE
Surface: Brown Powder Coated									
70 mm	70 mm	55 mm			2,50 mm	1	PC	2062077	CE
90 mm	90 mm	65 mm			2,50 mm	1	PC	2062078	CE
Surface: Zinc Flake Coated									
70 mm	70 mm	55 mm			2,50 mm	1	PC	6062066	CE
90 mm	90 mm	65 mm			2,50 mm	1	PC	6062067	CE
100 mm	100 mm	90 mm			3,00 mm	1	PC	6062068	CE
Material: Stainless Steel :1.4301 									
70 mm	70 mm	55 mm			2,00 mm	1	PC	2062079	CE
90 mm	90 mm	65 mm			2,00 mm	1	PC	2062080	CE
100 mm	100 mm	90 mm			2,50 mm	1	PC	2062081	CE



Wood Connectors

Angle connector



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275									
60 mm	60 mm	40 mm			1,50 mm	1	PC	2062500	
60 mm	60 mm	60 mm			1,50 mm	1	PC	2062501	
70 mm	70 mm	55 mm			2,00 mm	1	PC	2062502	
90 mm	90 mm	65 mm			2,00 mm	1	PC	2062503	


Angle Connector with Rib



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275									
125 mm	125 mm	45 mm			2,50 mm	1	PC	2062085	CE
150 mm	150 mm	60 mm			2,50 mm	1	PC	2062086	CE

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Zinc Flake Coated									
125 mm	125 mm	45 mm			2,50 mm	1	PC	6062085	CE
150 mm	150 mm	60 mm			2,50 mm	1	PC	6062086	CE

Angle Connector



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275									
60 mm	40 mm	60 mm			2,50 mm	1	PC	2062087	CE
70 mm	50 mm	35 mm			2,00 mm	1	PC	2062088	
90 mm	35 mm	40 mm			2,50 mm	1	PC	2062089	CE
90 mm	48 mm	48 mm			3,00 mm	1	PC	2062090	CE
90 mm	60 mm	60 mm			2,50 mm	1	PC	2062091	CE
100 mm	60 mm	60 mm			2,50 mm	1	PC	2062092	CE
110 mm	35 mm	40 mm			2,50 mm	1	PC	2062093	CE
120 mm	90 mm	40 mm			4,00 mm	1	PC	2062094	CE


Heavy load angle connector

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275									
50 mm	77 mm	64 mm			2,00 mm	1	PC	2062095	
50 mm	90 mm	48 mm			2,50 mm	1	PC	2062096	CE
50 mm	90 mm	55 mm			2,50 mm	1	PC	2062097	CE
50 mm	90 mm	75 mm			2,50 mm	1	PC	2062098	CE
50 mm	90 mm	116 mm			2,50 mm	1	PC	2062099	CE
Surface: Zinc Flake Coated									
50 mm	90 mm	48 mm			2,50 mm	1	PC	6062096	CE
50 mm	90 mm	55 mm			2,50 mm	1	PC	6062097	CE
50 mm	90 mm	75 mm			2,50 mm	1	PC	6062098	CE
50 mm	90 mm	116 mm			2,50 mm	1	PC	6062099	CE



Corner Angles

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275									
35 mm	35 mm	300 mm			2,00 mm	1	PC	2062100	
40 mm	40 mm	100 mm			2,00 mm	1	PC	2062101	
40 mm	40 mm	200 mm			2,00 mm	1	PC	2062102	
60 mm	60 mm	90 mm			2,00 mm	1	PC	2062103	




Perforated Plate

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275									
120 mm	40 mm				2,00 mm	1	PC	2062980	CE
160 mm	40 mm				2,00 mm	1	PC	2062186	CE
140 mm	60 mm				2,00 mm	1	PC	2062981	CE
200 mm	60 mm				2,00 mm	1	PC	2062187	CE
240 mm	60 mm				2,00 mm	1	PC	2062188	CE
200 mm	80 mm				2,00 mm	1	PC	2062189	CE
240 mm	80 mm				2,00 mm	1	PC	2062190	CE
300 mm	80 mm				2,00 mm	1	PC	2062191	CE
200 mm	100 mm				2,00 mm	1	PC	2062192	CE
240 mm	100 mm				2,00 mm	1	PC	2062193	CE
300 mm	100 mm				2,00 mm	1	PC	2062194	CE
200 mm	120 mm				2,00 mm	1	PC	2062982	CE
240 mm	120 mm				2,00 mm	1	PC	2062983	CE
300 mm	120 mm				2,00 mm	1	PC	2062984	CE
160 mm	40 mm				2,00 mm	12	☞☞☞☞	2062195	CE
200 mm	60 mm				2,00 mm	12	☞☞☞☞	2062196	CE
160 mm	40 mm				2,00 mm	20	☞☞☞☞	2062197	CE
200 mm	60 mm				2,00 mm	20	☞☞☞☞	2062198	CE
240 mm	60 mm				2,00 mm	20	☞☞☞☞	2062199	CE












Perforated Plate

200 mm	80 mm			2,00 mm	20		2062200	CE
960 mm	60 mm			2,00 mm	1	PC	2062183	CE
960 mm	80 mm			2,00 mm	1	PC	2062184	CE
960 mm	100 mm			2,00 mm	1	PC	2062185	CE

Surface: Zinc Flake Coated								
160 mm	40 mm			2,00 mm	1	PC	6062186	CE
200 mm	60 mm			2,00 mm	1	PC	6062187	CE
240 mm	60 mm			2,00 mm	1	PC	6062188	CE
200 mm	80 mm			2,00 mm	1	PC	6062189	CE
240 mm	80 mm			2,00 mm	1	PC	6062190	CE

Perforated plate angle

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275									
40 mm	40 mm	60 mm			2,50 mm	1	PC	2062104	CE
60 mm	60 mm	40 mm			2,50 mm	1	PC	2062105	CE
60 mm	60 mm	45 mm			2,50 mm	1	PC	2062106	CE
60 mm	60 mm	50 mm			2,00 mm	1	PC	2062107	CE
60 mm	60 mm	60 mm			2,50 mm	1	PC	2062108	CE
60 mm	60 mm	80 mm			2,50 mm	1	PC	2062109	CE
60 mm	60 mm	100 mm			2,50 mm	1	PC	2062110	
60 mm	80 mm	60 mm			2,50 mm	1	PC	2062111	
80 mm	80 mm	60 mm			2,50 mm	1	PC	2062112	CE
80 mm	80 mm	80 mm			2,50 mm	1	PC	2062113	CE
95 mm	120 mm	40 mm			2,50 mm	1	PC	2062114	
100 mm	100 mm	60 mm			2,50 mm	1	PC	2062902	CE
100 mm	100 mm	80 mm			2,50 mm	1	PC	2062115	CE
100 mm	100 mm	100 mm			2,50 mm	1	PC	2062116	CE
40 mm	40 mm	60 mm			2,50 mm	12		2062117	CE
40 mm	60 mm	60 mm			2,50 mm	12		2062118	CE
60 mm	60 mm	40 mm			2,50 mm	12		2062119	CE
60 mm	60 mm	60 mm			2,50 mm	12		2062120	CE
40 mm	40 mm	60 mm			2,50 mm	20		2062121	CE
60 mm	60 mm	40 mm			2,50 mm	20		2062122	CE
60 mm	60 mm	45 mm			2,50 mm	20		2062123	CE
60 mm	60 mm	50 mm			2,00 mm	20		2062124	CE
60 mm	60 mm	60 mm			2,50 mm	20		2062125	CE

Surface: White Powder Coated									
40 mm	40 mm	60 mm			2,50 mm	1	PC	2062126	CE
60 mm	60 mm	40 mm			2,50 mm	1	PC	2062127	CE
60 mm	60 mm	60 mm			2,50 mm	1	PC	2062128	CE





Surface: Black Powder Coated										
40 mm	40 mm	60 mm			2,50 mm		1	PC	4062126	CE
60 mm	60 mm	40 mm			2,50 mm		1	PC	4062127	CE
60 mm	60 mm	60 mm			2,50 mm		1	PC	4062128	CE

Surface: Zinc Flake Coated										
40 mm	40 mm	60 mm			2,50 mm		1	PC	6062126	CE
60 mm	60 mm	40 mm			2,50 mm		1	PC	6062127	CE
60 mm	60 mm	60 mm			2,50 mm		1	PC	6062128	CE
80 mm	80 mm	80 mm			2,50 mm		1	PC	6062113	CE
60 mm	60 mm	100 mm			2,50 mm		1	PC	6062110	CE

Material: Stainless Steel :1.4301 										
40 mm	40 mm	60 mm			2,00 mm		1	PC	2062129	CE
60 mm	60 mm	40 mm			2,00 mm		1	PC	2062130	CE
60 mm	60 mm	60 mm			2,00 mm		1	PC	2062131	CE

Flat steel anchor

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275										
200 mm	40 mm	40 mm			2,00 mm		1	PC	2062201	CE
285 mm	40 mm	40 mm			2,00 mm		1	PC	2062203	CE
200 mm	40 mm	40 mm			2,00 mm		10		2062202	CE
285 mm	40 mm	40 mm			2,00 mm		10		2062204	CE
400 mm	40 mm	40 mm			2,00 mm		1	PC	2062205	CE
200 mm	40 mm	40 mm			4,00 mm		1	PC	2062207	CE
285 mm	40 mm	40 mm			4,00 mm		1	PC	2062208	CE



Joist hanger Outward

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275										
64 mm	68 mm	200x70 mm			2,00 mm		1	PC	2012018	CE
45 mm	107 mm	260x70 mm			2,00 mm		1	PC	2012001	CE
40 mm	110 mm	260x70 mm			2,00 mm		1	PC	2012019	CE
50 mm	105 mm	260x70 mm			2,00 mm		1	PC	2012020	CE
60 mm	100 mm	260x70 mm			2,00 mm		1	PC	2012017	CE
64 mm	98 mm	260x70 mm			2,00 mm		1	PC	2012021	CE
70 mm	95 mm	260x70 mm			2,00 mm		1	PC	2012022	CE
76 mm	92 mm	260x70 mm			2,00 mm		1	PC	2012023	CE
40 mm	140 mm	320x70 mm			2,00 mm		1	PC	2012025	CE
45 mm	138 mm	320x70 mm			2,00 mm		1	PC	2012026	CE
50 mm	135 mm	320x70 mm			2,00 mm		1	PC	2012027	CE
60 mm	130 mm	320x70 mm			2,00 mm		1	PC	2012028	CE
64 mm	128 mm	320x70 mm			2,00 mm		1	PC	2012029	CE



Joist hanger Outward

70 mm	125 mm	320x70 mm			2,00 mm		1	PC	2012030	CE
76 mm	122 mm	320x70 mm			2,00 mm		1	PC	2012031	CE
80 mm	120 mm	320x70 mm			2,00 mm		1	PC	2012032	CE
50 mm	165 mm	380x70 mm			2,00 mm		1	PC	2012007	CE
60 mm	160 mm	380x70 mm			2,00 mm		1	PC	2012033	CE
64 mm	158 mm	380x70 mm			2,00 mm		1	PC	2012034	CE
70 mm	155 mm	380x70 mm			2,00 mm		1	PC	2012035	CE
76 mm	152 mm	380x70 mm			2,00 mm		1	PC	2012036	CE
80 mm	150 mm	380x70 mm			2,00 mm		1	PC	2012037	CE
90 mm	145 mm	380x70 mm			2,00 mm		1	PC	2012038	CE
100 mm	140 mm	380x70 mm			2,00 mm		1	PC	2012039	CE

Surface: Zinc Flake Coated

60 mm	100 mm	260x70 mm			2,00 mm		1	PC	6012040	CE
80 mm	120 mm	320x70 mm			2,00 mm		1	PC	6012041	CE
100 mm	140 mm	380x70 mm			2,00 mm		1	PC	6012039	CE

Material: Stainless Steel :1.4301




60 mm	100 mm	260x70 mm			2,00 mm		1	PC	2012040	CE
80 mm	120 mm	320x70 mm			2,00 mm		1	PC	2012041	CE

Surface: Electro Galvanized / Pregalv. Z275

32 mm	109 mm	250x80 mm			2,00 mm		1	PC	2012002	CE
38 mm	106 mm	250x80 mm			2,00 mm		1	PC	2012003	CE
64 mm	93 mm	250x80 mm			2,00 mm		1	PC	2012004	CE
60 mm	138mm	335x80 mm			2,00 mm		1	PC	2012005	CE
64 mm	135 mm	335x80 mm			2,00 mm		1	PC	2012006	CE
38 mm	201 mm	440x80 mm			2,00 mm		1	PC	2012009	CE
76 mm	182 mm	440x80 mm			2,00 mm		1	PC	2012010	CE
80 mm	180 mm	440x80 mm			2,00 mm		1	PC	2012011	CE
120 mm	160 mm	440x80 mm			2,00 mm		1	PC	2012012	CE
100 mm	200 mm	500x80 mm			2,00 mm		1	PC	2012013	CE
120 mm	190 mm	500x80 mm			2,00 mm		1	PC	2012014	CE
140 mm	180 mm	500x80 mm			2,00 mm		1	PC	2012015	CE
160 mm	200 mm	560x80 mm			2,00 mm		1	PC	2012016	CE

Joist hanger Inward



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275									
60 mm	100 mm	260x70 mm			2,00 mm	1	PC	2012044	CE
80 mm	120 mm	320x70 mm			2,00 mm	1	PC	2012047	CE
100 mm	140 mm	380x70 mm			2,00 mm	1	PC	2012049	CE
Surface: Zinc Flake Coated									
60 mm	100 mm	260x70 mm			2,00 mm	1	PC	6012044	CE
80 mm	120 mm	320x70 mm			2,00 mm	1	PC	6012047	CE
100 mm	140 mm	380x70 mm			2,00 mm	1	PC	6012049	CE

Joist hanger Inward

Surface: Electro Galvanized / Pregalv. Z275

50 mm	100 mm	250x50 mm			2,00 mm		1	PC	2012043	CE
-------	--------	-----------	--	--	---------	--	---	----	---------	----

Surface: Electro Galvanized / Pregalv. Z275

120 mm	160 mm	440x78 mm			2,00 mm		1	PC	2012051	CE
--------	--------	-----------	--	--	---------	--	---	----	---------	----

Joist Hanger Universal

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275										
20 mm	100 mm	38 mm			2,00 mm		1	PC	2012055	CE
25 mm	140 mm	40 mm			2,00 mm		1	PC	2012054	CE

Left, Surface: Electro Galvanized Blue


Surface: Electro Galvanized / Pregalv. Z275

20 mm	100 mm	38 mm			2,00 mm		1	PC	2012058	CE
25 mm	140 mm	40 mm			2,00 mm		1	PC	2012056	CE




Joist hanger Light

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275										
25 mm	75 mm				1,25 mm		1	PC	2062170	
38 mm	70 mm				1,25 mm		1	PC	2062171	
46 mm	66 mm				1,25 mm		1	PC	2062172	
51 mm	61 mm				1,25 mm		1	PC	2062173	
59mm	69mm				1,25 mm		1	PC	2062174	




Joist hanger Light

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275										
46 mm	190 mm	120 mm			1,00 mm		1	PC	2062175	
50mm	190 mm	215 mm			1,00 mm		1	PC	2062176	
59 mm	190 mm	215 mm			1,00 mm		1	PC	2062177	
63 mm	225 mm	210 mm			1,00 mm		1	PC	2062178	



Joist hanger Light



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275									
45 mm	115 mm	215 mm			1,00 mm	1	PC	2062180	
50 mm	115 mm	215 mm			1,00 mm	1	PC	2062181	
60 mm	110 mm	210 mm			1,00 mm	1	PC	2062182	

Joist hanger



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275									
46 mm	121 mm				1,50 mm	1	PC	2062526	
50 mm	150 mm				1,50 mm	1	PC	2062527	
59 mm	156 mm				1,50 mm	1	PC	2062528	
63 mm	175 mm				1,50 mm	1	PC	2062529	
71 mm	171 mm				1,50 mm	1	PC	2062530	

Rafter purlin anchor

Right




A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275									
32 mm	32 mm	170 mm			2,00 mm	1	PC	2062209	CE
32 mm	32 mm	210 mm			2,00 mm	1	PC	2062210	CE
32 mm	32 mm	250 mm			2,00 mm	1	PC	2062211	CE
32 mm	32 mm	170 mm			2,00 mm	20	☞☞☞	2062212	CE
32 mm	32 mm	170 mm			2,00 mm	50	☞☞☞	2062213	CE


Left									
Surface: Electro Galvanized / Pregalv. Z275									
32 mm	32 mm	170 mm			2,00 mm	1	PC	2062214	CE
32 mm	32 mm	210 mm			2,00 mm	1	PC	2062215	CE
32 mm	32 mm	250 mm			2,00 mm	1	PC	2062216	
32 mm	32 mm	170 mm			2,00 mm	20	☞☞☞	2062217	CE
32 mm	32 mm	170 mm			2,00 mm	50	☞☞☞	2062218	CE

Right									
Surface: Zinc Flake Coated									
32 mm	32 mm	170 mm			2,00 mm	1	PC	6062209	CE

Left									
Surface: Zinc Flake Coated									
32 mm	32 mm	170 mm			2,00 mm	1	PC	6062214	CE

Right									
Material: Stainless Steel :1.4301 									
32 mm	32 mm	170 mm			2,00 mm	1	PC	2062219	CE


Left

Material: Stainless Steel :1.4301 										
32 mm	32 mm	170 mm			2,00 mm		1	PC	2062220	CE

Corner Connector

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized Blue									
120 mm	120 mm	35 mm			2,0 mm	1	PC	2062505	
150 mm	150 mm	35 mm			2,0 mm	1	PC	2062506	

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized Blue									
160 mm	98 mm	45 mm			2,50 mm	1	PC	2062507	




Toothed timber connector

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275									
Ø48 mm	Ø17 mm					1	PC	2062508	
Ø62 mm	Ø21mm					1	PC	2062509	
Ø75 mm	Ø26mm					1	PC	2062510	



Spike plate

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized Blue									
99 mm	25 mm				1,00 mm	1	PC	2062511	
129 mm	25 mm				1,00 mm	1	PC	2062512	
127 mm	38 mm				1,00 mm	1	PC	2062513	



Builder Band


A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized / Pregalv. Z275									
40 mm		10 M			2,00 mm	1	PC	2062514	
60 mm		10 M			2,00 mm	1	PC	2062515	



HINGES




Hinge Small





A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized Blue									
25 mm	22mm				0,75 mm	1	PC	2070000	
32 mm	26 mm				0,75 mm	1	PC	2070001	
40 mm	26 mm				0,75 mm	1	PC	2070002	
50 mm	30mm				0,75 mm	1	PC	2070003	
60 mm	34 mm				1,00 mm	1	PC	2070004	
63 mm	47 mm				1,25 mm	1	PC	2070004	
82 mm	45mm				1,25 mm	1	PC	2070005	
100 mm	50mm				1,25 mm	1	PC	2070006	
25 mm	22mm				0,75 mm	4	SB	2070007	
32 mm	26 mm				0,75 mm	4	SB	2070008	
38 mm	26 mm				0,75 mm	4	SB	2070009	
50 mm	30mm				0,75 mm	2	SB	2070010	
64 mm	34 mm				1,00 mm	2	SB	2070011	
82 mm	45mm				1,25 mm	2	SB	2070012	

Surface: Zinc Flake Coated									
40 mm	26 mm				0,75 mm	1	PC	2070013	
60 mm	34 mm				1,50 mm	1	PC	2070014	
63 mm	47 mm				1,25 mm	1	PC	2070015	

Surface: Stainless Steel :1.4301 									
40 mm	26 mm				0,75 mm	1	PC	2070016	
60 mm	34 mm				1,50 mm	1	PC	2070017	
82 mm	45mm				1,25 mm	1	PC	2070018	

Hinge Medium Wide




A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized Blue									
41 mm	33 mm				1,00 mm	1	PC	2070019	
51 mm	37 mm				1,00 mm	1	PC	2070020	
63 mm	43 mm				1,25 mm	1	PC	2070021	
70 mm	53 mm				1,25 mm	1	PC	2070022	
80 mm	58 mm				1,50 mm	1	PC	2070023	
100 mm	75 mm				1,50 mm	1	PC	2070024	
Surface: Stainless Steel :1.4301 									
63 mm	43 mm				1,25 mm	1	PC	2070025	
80 mm	58 mm				1,50 mm	1	PC	2070026	

Hinge Wide

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized Blue									
25 mm	38 mm				0,75 mm	1	PC	2070027	
30 mm	47 mm				1,00 mm	1	PC	2070028	
40 mm	58 mm				1,00 mm	1	PC	2070029	
50 mm	75 mm				1,00 mm	1	PC	2070030	
60 mm	90 mm				1,25 mm	1	PC	2070031	
70 mm	105 mm				1,25 mm	1	PC	2070032	
80 mm	120 mm				1,50 mm	1	PC	2070033	
30 mm	47 mm				1,00 mm	2	SB	2070034	
40 mm	58 mm				1,00 mm	2	SB	2070035	

Surface: Zinc Flake Coated									
60 mm	90 mm				1,25 mm	1	PC	2070036	


Surface: Stainless Steel :1.4301 									
60 mm	90 mm				1,25 mm	1	PC	2070037	
80 mm	120 mm				1,50 mm	1	PC	2070038	




Hinge Square

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized Blue									
25 mm	25 mm				0,75 mm	1	PC	2070039	
30 mm	30 mm				0,75 mm	1	PC	2070040	
40 mm	40 mm				0,75 mm	1	PC	2070041	
50 mm	50 mm				0,75 mm	1	PC	2070042	
60 mm	60 mm				0,75 mm	1	PC	2070043	
70 mm	70 mm				1,00 mm	1	PC	2070044	
80 mm	80 mm				1,00 mm	1	PC	2070045	
90 mm	90 mm				1,25 mm	1	PC	2070046	
100 mm	100 mm				1,25 mm	1	PC	2070047	
30 mm	30 mm				0,75 mm	2	SB	2070048	
40 mm	40 mm				0,75 mm	2	SB	2070049	
50 mm	50 mm				0,75 mm	2	SB	2070050	
60 mm	60 mm				0,75 mm	2	SB	2070051	


Surface: Zinc Flake Coated									
50 mm	50 mm				0,75 mm	1	PC	2070052	
60 mm	60 mm				0,75 mm	1	PC	2070053	
80 mm	80 mm				1,00 mm	1	PC	2070054	

Surface: Stainless Steel :1.4301 									
50 mm	50 mm				0,75 mm	1	PC	2070055	
60 mm	60 mm				0,75 mm	1	PC	2070056	
80 mm	80 mm				1,00 mm	1	PC	2070057	



Lift off Hinge

Left



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized Blue										
80 mm					2,50 mm		1	PC	2070058	
100 mm					2,50 mm		1	PC	2070059	
120 mm					2,50 mm		1	PC	2070060	
140 mm					2,50 mm		1	PC	2070061	
160 mm					2,50 mm		1	PC	2070062	

Right


A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized Blue										
80 mm					2,50 mm		1	PC	2070063	
100 mm					2,50 mm		1	PC	2070064	
120 mm					2,50 mm		1	PC	2070065	
140 mm					2,50 mm		1	PC	2070066	
160 mm					2,50 mm		1	PC	2070067	

Adjustable Lift off Hinge



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized Blue										
83 mm	15 mm				40 mm		1	PC	2070068	

Hinge Square Heavy



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized Blue										
76 mm	76 mm						1	PC	2070069	
89 mm	89 mm						1	PC	2070070	

Hinge Square Rounded Corner Heavy



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized Blue										
76 mm	76 mm						1	PC	2070071	
89 mm	89 mm						1	PC	2070072	

Table Hinge


A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized Blue										
25 mm	60 mm				0,90 mm		1	PC	2070073	
25 mm	85 mm				1,25 mm		1	PC	2070074	
30 mm	100 mm				1,50 mm		1	PC	2070075	
35 mm	120 mm				1,50 mm		1	PC	2070076	
35 mm	140 mm				1,50 mm		1	PC	2070077	
40 mm	160 mm				1,50 mm		1	PC	2070078	
40 mm	180 mm				1,50 mm		1	PC	2070079	
45 mm	200 mm				2,00 mm		1	PC	2070080	
25 mm	60 mm				0,90 mm		2	SB	2070081	
25 mm	80 mm				1,25 mm		2	SB	2070082	
32 mm	100 mm				1,50 mm		2	SB	2070083	



Surface: Zinc Flake Coated										
25 mm	85 mm				1,25 mm		1	PC	2070084	
30 mm	100 mm				1,50 mm		1	PC	2070085	
35 mm	120 mm				1,50 mm		1	PC	2070086	

Surface: Stainless Steel :1.4301 										
25 mm	85 mm				1,25 mm		1	PC	2070087	
30 mm	100 mm				1,50 mm		1	PC	2070088	
35 mm	120 mm				1,50 mm		1	PC	2070089	
35 mm	140 mm				1,50 mm		1	PC	2070090	

Table Hinge


A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Electro Galvanized Blue										
135 mm	35 mm				2,00 mm		1	PC	2070091	
155 mm	35 mm				2,00 mm		1	PC	2070092	
175 mm	35 mm				2,00 mm		1	PC	2070093	
195 mm	35 mm				2,00 mm		1	PC	2070094	
250 mm	40 mm				2,50 mm		1	PC	2070095	
300 mm	40 mm				2,50 mm		1	PC	2070096	
400 mm	40 mm				3,00 mm		1	PC	2070097	
Surface: Stainless Steel :1.4301 										
195 mm	35 mm				2,00 mm		1	PC	2070098	



ADDITIONAL PRODUCTS

Additional Products

Log Holder



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized									
337 mm	100 mm	150 mm			1,50 mm	1	PC	2068000	
337 mm	100 mm	150 mm			2,00 mm	1	PC	2068001	

Log Holder With Pipe



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized									
Ø25 mm	290 mm	1500			1,2 mm	1	PC	2068002	

Cycle Stand



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized									
3 Rider	760 mm	375 mm	250 mm			1	PC	2068003	
4 Rider	1050 mm	375 mm	250 mm			1	PC	2068004	
5 Rider	1540 mm	375 mm	250 mm			1	PC	2068005	

Cycle Stand Foldable



A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized									
2 Rider	700 mm					1	PC	2068006	




Surface: Hot Dip Galvanized									
3 Rider	1050 mm					1	PC	2068007	



Surface: Hot Dip Galvanized									
4 Rider	1400 mm					1	PC	2068008	




Surface: Hot Dip Galvanized									
5 Rider	1750 mm					1	PC	2068009	




Surface: Hot Dip Galvanized									
6 Rider	2100 mm					1	PC	2068010	

Surface: Hot Dip Galvanized										
10 Rider	1750 mm						1	PC	2068011	



Surface: Hot Dip Galvanized										
12 Rider	2100 mm						1	PC	2068012	




Corner 2D

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
71 mm	200 mm	185 mm					1	PC	2068013	
91 mm	200 mm	200 mm					1	PC	2068014	




Corner 3D

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
71 mm	205 mm	185 mm	185 mm				1	PC	2068015	
91 mm	200 mm	200 mm	200 mm				1	PC	2068016	



Corner 3D T

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
71 mm	305 mm	185 mm					1	PC	2068017	
91 mm	305 mm	200 mm					1	PC	2068018	



Corner 4D

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
71 mm	305 mm	185 mm	185 mm				1	PC	2068019	
91 mm	305 mm	200 mm	200 mm				1	PC	2068020	



Additional Products

Swing Connector



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
91 mm	200 mm	200 mm					1	PC	2068021	

Swing Hook



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
Ø 100 mm							1	PC	2068022	
Ø 120 mm							1	PC	2068023	

Swing Hook



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
90 mm	90 mm						1	PC	2068024	

Swing Hook



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
200 mm							1	PC	2068025	

Handrail Support for Universal Post



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
104 mm	30 mm	98 mm					1	PC	2068026	

Handrail Support for Universal Post

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
104 mm	30 mm	98 mm					1	PC	2068027	



Fixing Plate for Universal Post

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
30 mm	30 mm	119 mm					1	PC	2068028	



Fixing Plate for Universal Post

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
30 mm	30 mm	135 mm					1	PC	2068029	



Universal Post 1020 mm

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
100 mm	100 mm	30 mm					1	PC	2068030	



Universal Post

A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
100 mm	100 mm	30 mm	30 mm				1	PC	2068031	



Additional Products

Universal Post



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
100 mm	100 mm	30 mm	30 mm				1	PC	2068032	

Universal Metal Post



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
200 mm	40 mm						1	PC	2068033	

Floor Jack-SHB



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface:										
	Ø60 mm	Ø17 mm	45 mm				1	PC	2021001	
Ø100 mm	Ø60 mm	Ø17 mm	60 mm				1	PC	2021002	
Ø100 mm	Ø60 mm	Ø17 mm	75 mm				1	PC	2021003	
Ø100 mm	Ø60 mm	Ø17 mm	100 mm				1	PC	2021004	
Ø100 mm	Ø60 mm	Ø17 mm	140 mm				1	PC	2021005	
Ø100 mm	Ø60 mm	Ø17 mm	180 mm				1	PC	2021006	
Ø100 mm	Ø60 mm	Ø17 mm	255 mm				1	PC	2021007	

Floor Jack-SG3



A	B	C	D	E	Material Thickness		Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized										
Ø90 mm	Ø80 mm	Ø18 mm	30 mm				1	PC	2023001	
Ø90 mm	Ø80 mm	Ø18 mm	40 mm				1	PC	2023002	
Ø90 mm	Ø80 mm	Ø21 mm	60 mm				1	PC	2023003	
Ø90 mm	Ø80 mm	Ø21 mm	80 mm				1	PC	2023004	
Ø90 mm	Ø80 mm	Ø21 mm	110 mm				1	PC	2023005	
Ø90 mm	Ø80 mm	Ø21 mm	150 mm				1	PC	2023006	
Ø90 mm	Ø80 mm	Ø21 mm	190 mm				1	PC	2023007	

Floor Jack-SG5

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized									
90 mm	90 mm	21 mm	60 mm			1	PC	2025003	
90 mm	90 mm	21 mm	80 mm			1	PC	2025004	
90 mm	90 mm	21 mm	110 mm			1	PC	2025005	
90 mm	90 mm	21 mm	150 mm			1	PC	2025006	
90 mm	90 mm	21 mm	190 mm			1	PC	2025007	



Floor Jack-SSP

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized									
150 mm	150 mm	70				1	PC	2052001	
150 mm	150 mm	110				1	PC	2052002	
150 mm	150 mm	150				1	PC	2052003	
150 mm	150 mm	70	Grinded			1	PC	2052004	
150 mm	150 mm	110	Grinded			1	PC	2052005	
150 mm	150 mm	150	Grinded			1	PC	2052006	



Floor Jack-SSP

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized									
200 mm	200 mm	70				1	PC	2053001	
200 mm	200 mm	110				1	PC	2053002	
200 mm	200 mm	150				1	PC	2053003	
200 mm	200 mm	70	Grinded			1	PC	2053004	
200 mm	200 mm	110	Grinded			1	PC	2053005	
200 mm	200 mm	150	Grinded			1	PC	2053006	



Floor Jack-APF

A	B	C	D	E	Material Thickness	Packing Unit	Sales Unit	Article No.	Certified
Surface: Hot Dip Galvanized									
Ø80 mm	R20					1	PC	2054001	
Ø90 mm	R24					1	PC	2054002	
Ø100 mm	R30					1	PC	2054003	



Certifications

KIT Versuchsamt für Stahl, Holz und Steine
(Arbeitskreis Materialprüfungsamt)
Karlsruher Institut für Technologie (KIT)
Karlsruherstraße 12, 76131 Karlsruhe
Leitung: Univ.-Prof. Dr.-Ing. H. J. Baß und Univ.-Prof. Dr.-Ing. T. Ummenhofer

Certificate of conformity of the factory production control
0769 – CPR – 6114/02

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction products

Nailing plates
Connectors for load bearing timber structures with plate thicknesses
 $L_p = 2.0 / 2.5 / 3.0$ mm of steel grades S355MC E235 or F420/235 / stainless steel 1.4301

produced by
Eurokon Eurokon Global Exports Pvt Limited
A, Industrial Area NF 1, Faridabad, Haryana, India 121001

in the manufacturing plant
Eurokon Eurokon Global Exports Pvt Limited
A, Industrial Area NF 1, Faridabad, Haryana, India 121001

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 14545:2008

under system 2+ are applied and that
the factory production control fulfils all the prescribed requirements set out above.

This certificate was first issued on 04 June 2014 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Karlsruhe, 29 June 2015

Head of Certification Body
Univ.-Prof. Dr.-Ing. H. J. Baß

ETA-Danmark A/S
Göteborg Plads 1
DK-1105 Nordhavn
Tel. +45 72 24 59 00
Fax +45 72 24 59 04
Internet www.eta-danmark.dk

Authorised and notified according to Article 29 of the Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011

MEMBER OF EOTA

European Technical Assessment ETA-13/0706 of 2021/02/11

I General Part
Technical Assessment Body issuing the ETA and designated according to Article 29 of the Regulation (EU) No 305/2011: ETA-Danmark A/S

Trade name of the construction product: Eurokon Angle brackets and hold downs

Product family to which the above construction product belongs: Three-dimensional nailing plate (Angle Bracket for timber-to-timber and hold-downs for timber-to-concrete or timber-to-steel connections)

Manufacturer: Eurokon Global Exports Private Limited
Plot No 93, Sector 68, IMT Faridabad, Haryana, India
Telephone + 91 129 4187002
Telefax + 91 129 4187001
Internet www.eurokonglobal.com

Manufacturing plant: Eurokon Global Exports Private Limited
Plot No 93, Sector 68, IMT Faridabad, Haryana, India

This European Technical Assessment contains: 84 pages including 2 annexes which form an integral part of the document

This European Technical Assessment is issued in accordance with Regulation (EU) No 305/2011, on the basis of: EAD 130186-00-0603 for Three dimensional nailing plates

This version replaces: The previous ETA with the same number issued on 2020-02-28

ETA-Danmark A/S
Göteborg Plads 1
DK-1105 Nordhavn
Tel. +45 72 24 59 00
Fax +45 72 24 59 04
Internet www.eta-danmark.dk

Authorised and notified according to Article 29 of the Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011

MEMBER OF EOTA

European Technical Assessment ETA-13/0763 of 2021/02/11

I General Part
Technical Assessment Body issuing the ETA and designated according to Article 29 of the Regulation (EU) No 305/2011: ETA-Danmark A/S

Trade name of the construction product: Joist Hangers Type A and B

Product family to which the above construction product belongs: Three-dimensional nailing plate (joist hanger for wood to wood connections and wood to concrete or steel connections)

Manufacturer: Eurokon Global Exports Private Limited
Plot No 93, Sector 68, IMT Faridabad, Haryana, India
Telephone + 91 129 4187002
Telefax + 91 129 4187001
Internet www.eurokonglobal.com

Manufacturing plant: Eurokon Global Exports Private Limited
Plot No 93, Sector 68, IMT Faridabad, Haryana, India

This European Technical Assessment contains: 24 pages including 4 annexes which form an integral part of the document

This European Technical Assessment is issued in accordance with Regulation (EU) No 305/2011, on the basis of: EAD 130186-00-0603 for Three dimensional nailing plates

This version replaces: The previous ETA with the same number issued on 2020-02-28

ETA-Danmark A/S
Göteborg Plads 1
DK-1105 Nordhavn
Tel. +45 72 24 59 00
Fax +45 72 24 59 04
Internet www.eta-danmark.dk

Authorised and notified according to Article 29 of the Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011

MEMBER OF EOTA

European Technical Assessment ETA-13/0705 of 2021/02/11

I General Part
Technical Assessment Body issuing the ETA and designated according to Article 29 of the Regulation (EU) No 305/2011: ETA-Danmark A/S

Trade name of the construction product: Eurokon Post bases

Product family to which the above construction product belongs: Three-dimensional nailing plate (Post bases for the support of timber columns and posts as load-bearing elements)

Manufacturer: Eurokon Global Exports Private Limited
Plot No 93, Sector 68, IMT Faridabad, Haryana, India
Telephone + 91 129 4187002
Telefax + 91 129 4187001
Internet www.eurokonglobal.com

Manufacturing plant: Eurokon Global Exports Private Limited
Plot No 93, Sector 68, IMT Faridabad, Haryana, India

This European Technical Assessment contains: 60 pages including 2 annexes which form an integral part of the document

This European Technical Assessment is issued in accordance with Regulation (EU) No 305/2011, on the basis of: EAD 130186-00-0603 for Three dimensional nailing plates

This version replaces: The previous ETA with the same number issued on 2020-02-28

ETA-Danmark A/S
Göteborg Plads 1
DK-1105 Nordhavn
Tel. +45 72 24 59 00
Fax +45 72 24 59 04
Internet www.eta-danmark.dk

Authorised and notified according to Article 29 of the Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011

MEMBER OF EOTA

European Technical Assessment ETA-13/0843 of 2021/02/11

I General Part
Technical Assessment Body issuing the ETA and designated according to Article 29 of the Regulation (EU) No 305/2011: ETA-Danmark A/S

Trade name of the construction product: Purlin Tie 170 right/left
Purlin Tie 210 right/left
Purlin Tie 250 right/left

Product family to which the above construction product belongs: Three-dimensional nailing plate (timber-to-timber purlin tie)

Manufacturer: Eurokon Global Exports Private Limited
Plot No 93, Sector 68, IMT Faridabad, Haryana, India
Telephone + 91 129 4187002
Telefax + 91 129 4187001
Internet www.eurokonglobal.com

Manufacturing plant: Eurokon Global Exports Private Limited
Plot No 93, Sector 68, IMT Faridabad, Haryana, India

This European Technical Assessment contains: 14 pages including 2 annexes which form an integral part of the document

This European Technical Assessment is issued in accordance with Regulation (EU) No 305/2011, on the basis of: EAD 130186-00-0603 for Three dimensional nailing plates

This version replaces: The previous ETA with the same number issued on 2020-02-28

EUROKON

Eurokon Global Exports Pvt. Ltd.

HO: 5, Industrial Area N.I.T.
Faridabad-121001, Haryana (INDIA)
Tel.: +91 129 4628359

Works: 93, Sector 68 IMT
Faridabad 121004, Haryana INDIA.
Tel.: +91 129 2983700

Email: contact@eurokonglobal.com

www.eurokonglobal.com